



QINGDAO SANTA INTERNATIONAL CO.,LTD

LOOKING TO THE FUTURE

Passing through more than twenty years of hardworking,
it has rooted in Shandong Province
Today, we still have a long way to go
Through actively conducting in-depth development, it is
making unremitting efforts to initiating, and upgrading more
reliable science and technology products
Becoming the new reform leader of the field,
and penetrating into the global top industries
As the cooperative partner of the clients all the time
Changing your work and life quietly and excitingly





GROUP PROFILE

Santa Group has started the original production from year 2001 with headquarter in the beautiful costal city Qingdao City, Shandong Province, P. R. China. The group company consists of one export sales company, one domestic sales company and three subsidiary factories in Qingdao, Weifang and Rizhao city, Shandong Province. As one of the largest and most professional refrigeration product manufacturer, we mainly produce stainless steel cabinet, counter, saladette, VRX pizza display, blast freezer, storage chiller & freezer, backbar cooler, chest freezer, upright beverage cooler, independent island freezer, combined island freezer, commercial showcase, stainless steel fabrication and so on.


The group company covers 300,000 square meters with the annual production capacity 600,000 units. There are more than 1000 staffs in the group company, including 50 skilled technicians and engineers. The majorities of the management have ever worked in the Chinese top leading refrigeration manufacturing company and have got the experience of refrigeration industry over ten years. We have acquired the certificates of CE, CB, UL, ETL, ETL SANITATION, GS, BRC, BSCI, ROHS, REACH, ISO9001 and ISO14001, while the products can reach European energy class A and American energy star.

Santa Group also own domestic brands including “Olake” and “Haixue”, which are recognized as the famous Chinese brands in the world’s market. Meantime, we also provide OEM and ODM service. We have succeeded to satisfy customers’ request and develop many new series with high quality. Our products are widely accepted and highly approbated by customers from over 120 countries and regions, mainly from Europe, America, Middle East and Southeast Asia.

Insisting with the concept of “premium quality for premium life”, Santa Group is ready to cooperate with customers from all over the world.



CERTIFICATE



PRODUCTION LINE



SHOWROOM



01 Kitchen Refrigeration /010

European Cabinet-----	P12-29
Counter-----	P30-43
Saladette-----	P44-53
Bar cooler-----	P54-55
Refrigerated Topping Unit-----	P56-59
American Style-----	P60-73
Chef base-----	P74-75
Upright Chiller/freezer -----	P76-79

02 Supermarket & Convenient Store Refrigeration /080

Mini Promotional Beverage Cabinet-----	P82-85
Open Top Cooler-----	P86-87
Open Displat Merchandisers-----	P88-89
Open show case-----	P90
Multideck-Plug In-----	P92-103
Multideck-Remote-----	P104-111
Multideck-Vegetable-----	P112-113
Island Freezer-----	P116-127
Service Over Counters-----	P128-133
Self Service Counters-----	P134-135
Combinet Cabinet-----	P136-137
Upright Ice cream Showcases-----	P138-139
Upright Cake Showcases -----	P140-145

03 Beverage Cooler /146

Backbar-----	P148-159
Beverage Cooler-----	P160-185

04 Chest Freezer /186

Glass Doors-----	P188-193
Solid Doors-----	P194-199

05 Neutral Equipment /200

Gastronorm Pan-----	P202-203
Regular Pan-----	P204-205
Work Table-----	P206
Cupboard-----	P207
Trolley-----	P208
Shelves-----	P209
Sink-----	P210-211

01 Kitchen Refrigeration



CABINET VENTILATED GN650 SERIES



CE



GN-650TN

Features

- European Fashionable style upright cabinet chiller
- Interior and exterior stainless steel AISI304 material for high level product
- Reversible doors and automatically self close when less than 90° open
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- With Lock and key
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell

- High quality compressor: Danfoss, Embraco
- LED light
- Germany Well-known brand EBM fans
- Compatible for GN2/1 Shelves
- Automatic defrost cooling system
- Replaceable door center sill with heating elements
- CFC free with 60mm super thickness
- Three layers of gray coated shelves per door as standard

Options

- Adjustable feet or Caster wheels

CABINET VENTILATED GN650 SERIES



CE



GN-650TNG



GN-650BTM

Product Model	GN-650TN/TNG	GN-650BT/BTG	GN-650TNM/TNMG	GN-650BTM/BTMG
Unit dimensions (W/D/H mm)	740*830*2010	740*830*2010	740*830*2010	740*830*2010
Net capacity (L)	650	650	650	650
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated
Temperature (°C)	-2~+10	-18~-22	-2~+10	-18~-22
Shelves No.	3	3	3	3
Interior light	LED light	LED light	LED light	LED light
Compressor	Secop/Secop	Secop/Secop	Secop/Secop	Secop/Secop
Digital thermostat	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R134a/R290	R404a/R290	R134a/R290	R404a/R290
40 ' Container loading	40	40	40	40

CABINET VENTILATED GN1410 SERIES



CE



GN-1410BT

Features

- Two full size S/S door cabinet freezer
- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- With lock and key
- LED light
- Ventilated cooling
- Automatic defrost
- 6 adjustable GN2/1 Shelves
- CFC free foaming

Options

- Adjustable feet or Caster wheels



CABINET VENTILATED GN1410 SERIES



CE



GN-1410TNM



GN-1410TNG

Product Model	GN-1410TN/TNG	GN-1410BT/BTG	GN-1410TNM/TNMG	GN-1410BTM/BTMG
Unit dimensions (W/D/H mm)	1480*830*2010	1480*830*2010	1480*830*2010	1480*830*2010
Net capacity (L)	1300	1300	1300	1300
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated
Temperature (°C)	-2~+10	-18~-22	-2~+10	-18~-22
Shelves No.	6	6	6	6
Interior light	LED light	LED light	LED light	LED light
Compressor	Secop/Secop	Embraco	Secop/Secop	Embraco
Digital thermostat	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R134a/R290	R404a	R134a/R290	R404a
40' Container loading	15	15	15	15

CABINET VENTILATED 700mm DEPTH



GN-580TN

Features

- European Fashionable style upright cabinet chiller
- Interior and exterior stainless steel AISI304 material for high level product
- Reversible doors and automatically self close when less than 90° open
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- With Lock and key
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality compressor: Danfoss, Embraco
- LED light
- Germany Well-known brand EBM fans
- Automatic defrost cooling system
- Replaceable door center sill with heating elements
- CFC free with 60mm super thickness
- Three layers of gray coated shelves per door as standard

Options

- Adjustable feet or Caster wheels

Product Model	GN-580TN	GN-580BT
Unit dimensions (W/D/H mm)	740*730*2010	740*730*2010
Net capacity (L)	580	580
Cooling system	Ventilated	Ventilated
Temperature (°C)	-2~+10	-18~-22
Shelves No.	3	3
Interior light	LED light	LED light
Compressor	Secop/Secop	Secop/Secop
Digital thermostat	Dixell	Dixell
Kind of coolant	R134a/R290	R404a/R290
40' Container loading	45	45

CABINET VENTILATED 700mm DEPTH



GN-1180BT

Features

- Two full size S/S door cabinet freezer
- Int&Ext material stainless steel
- Reversible self-closing door
- Full length stainless steel handle
- Digital thermostat
- With lock and key
- LED light
- Ventilated cooling
- Automatic defrost
- 6 adjustable Shelves
- CFC free foaming

Options

- Adjustable feet or Caster wheels

Product Model	GN-1180TN	GN-1310TN	GN-1180BT	GN-1310BT
Unit dimensions (W/D/H mm)	1480*730*2010	1480*810*2010	1480*730*2010	1480*810*2010
Net capacity (L)	1180	1236	1180	1236
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated
Temperature (°C)	-2~+10	-2~+10	-18~-22	-18~-22
Shelves No.	6	6	6	6
Interior light	LED light	LED light	LED light	LED light
Compressor	Secop/Secop	Embraco/Secop	Secop	Embraco/Secop
Digital thermostat	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R134a/R290	R134a/R290	R404a/R290	R404a/R290
40' Container loading	22	22	22	22

CABINET VENTILATED FISH COOLER



GN-600TNF

Features

- One full size S/S solid door Cabinet fish cooler
- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- With lock and key
- LED light
- Fan cooling system
- 7 layers of pan inside
- CFC free foaming
- 60mm insulation thickness

Options

- Adjustable feet or Caster wheels
- Heating element for door frame



Product Model	GN-600TNF	GN-600TNV FISH	GN-600TNGV FISH
Unit dimensions (W/D/H mm)	680*810*2010	680*810*2010	680*810*2010
Net capacity (L)	600	600	600
Cooling system	Static with fan cooling	Ventilated	Ventilated
Temperature (°C)	0~+10	0~+10	0~+10
Shelves No.	7 layers of pan	7 layers of pan	7 layers of pan
Interior light	LED light	LED light	LED light
Compressor	ZEL/ZEL	ZEL/ZEL	ZEL/ZEL
Digital thermostat	Eliwell/Dixell	Eliwell/Dixell	Eliwell/Dixell
Kind of coolant	R134a/R600a	R134a/R600a	R134a/R600a
40 ' Container loading	42	42	42

CABINET GN600 SERIES



GN-600TN



GN-600TNG

Features

- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- With lock and key
- LED light
- Fan cooling system
- 3 adjustable GN2/1 Shelves
- CFC free foaming

Options

- Adjustable feet or Caster wheels
- Heating element for door frame

Product Model	GN-600TN	GN-600TNM	GN-600TNGM	GN-600TNG
Unit dimensions (W/D/H mm)	680*810*2010	680*810*2010	680*810*2010	680*810*2010
Net capacity (L)	600	600	600	600
Cooling system	Static with fan cooling	Static with fan cooling	Static with fan cooling	Static with fan cooling
Temperature (°C)	0~+10	0~+10	0~+10	0~+10
Shelves No.	3	3	3	3
Interior light	LED light	LED light	LED light	LED light
Compressor	ZEL/ZEL	ZEL/ZEL	ZEL/ZEL	ZEL/ZEL
Digital thermostat	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R600a	R134a/R600a	R134a/R600a
40 ' Container loading	42	42	42	42

CABINET VENTILATED GN600 SERIES



GN-600TNV

GN-600BTMV

Features

- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- With lock and key
- LED light
- Ventilated cooling
- Automatic defrost
- 3 adjustable GN2/1 Shelves
- CFC free foaming

Options

- Adjustable feet or Caster wheels

Product Model	GN-600TNV/ GN-600TNGV	GN-600BTV	GN-600TNMV	GN-600BTMV
Unit dimensions (W/D/H mm)	680*810*2010	680*810*2010	680*810*2010	680*810*2010
Net capacity (L)	600	600	600	600
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated
Temperature (°C)	-2~+10	-18~-22	-2~+10	-18~-22
Shelves No.	3	3	3	3
Interior light	LED light	LED light	LED light	LED light
Compressor	ZEL/ZEL	Embraco/Secop	ZEL/ZEL	Embraco/Secop
Digital thermostat	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R134a/R600a	R404a/R290	R134a/R600a	R404a/R290
40' Container loading	42	42	42	42

CABINET GN1200 SERIES



GN-1200TN

GN-1200BTG

Features

- Int&Ext material stainless steel
- Digital thermostat
- With lock and key
- LED light
- Fan cooling system
- 6 adjustable GN2/1 Shelves
- CFC free foaming
- Auto defrosting and evaporation of condensation
- Self-closing door

Options

- Adjustable feet or Caster wheels

Product Model	GN-1200TN	GN-1200TNM	GN-1200TNG	GN-1200BTG
Unit dimensions (W/D/H mm)	1340*810*2010	1340*810*2010	1340*810*2010	1340*810*2010
Net capacity (L)	1200	1200	1200	1200
Cooling system	Static with fan cooling	Static with fan cooling	Static with fan cooling	Static with fan cooling
Temperature (°C)	0~+10	0~+10	0~+10	-12~-16
Shelves No.	6	6	6	6
Interior light	LED light	LED light	LED light	LED light
Compressor	Secop/Secop	Secop/Secop	Secop/Secop	Secop/Secop
Digital thermostat	Dixell	Dixell	Eliwell/Dixell	Eliwell/Dixell
Kind of coolant	R134a/R290	R134a/R290	R134a/R290	R134a/R290
40' Container loading	22	22	22	22

CABINET VENTILATED GN1200 SERIES



GN-1200TNV

GN-1200TNMV

Features

- Int&Ext material stainless steel
- ull length stainless steel handle
- Digital thermostat
- With lock and key
- LED light
- Ventilated cooling
- Automatic defrost
- 6 adjustable GN2/1 Shelves
- CFC free foaming
- Auto defrosting and evaporation of condensation
- Self-closing door

Options

- Adjustable feet or Caster wheels

Product Model	GN-1200TNV	GN-1200BTV	GN-1200TNMV	GN-1200BTMV
Unit dimensions (W/D/H mm)	1340*810*2010	1340*810*2010	1340*810*2010	1340*810*2010
Net capacity (L)	1200	1200	1200	1200
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated
Temperature (°C)	-2~+10	-18~-22	-2~+10	-18~-22
Shelves No.	6	6	6	6
Interior light	LED light	LED light	LED light	LED light
Compressor	Secop/Secop	Secop	Secop/Secop	Secop
Digital thermostat	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R134a/R290	R404a/R290	R134a/R290	R404a/R290
40 ' Container loading	22	22	22	22

CABINET SNACK400 SERIES



SNACK-400TN

SNACK-400BTM

Features

- Int&Ext material stainless steel
- Full length stainless steel handle
- Digital thermostat
- With lock and key
- LED light
- Fan cooling system
- CFC free foaming
- 60mm insulation thickness
- Self-closing door

Options

- Adjustable feet or Caster wheels

Product Model	SNACK-400TN	SNACK-400TNM
Unit dimensions (W/D/H mm)	680*710*2010	680*710*2010
Net capacity (L)	429	429
Cooling system	Static with fan cooling	Static with fan cooling
Temperature (°C)	0~+10	0~+10
Shelves No.	3	3
Interior light	LED light	LED light
Compressor	ZEL/ZEL	ZEL/ZEL
Digital thermostat	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R600a
40 ' Container loading	48	48

CABINET SNACK400S SERIES



SNACK-400STN

SNACK-400STNG

Features

- Bottom Engine Room
- Int&Ext material stainless steel
- Revisable self-closing door
- Digital thermostat
- With lock and key
- LED light
- Fan cooling system
- CFC free foaming
- 60mm insulation thickness
- Auto defrosting and evaporation of condensation
- Self-closing door

Options

- Adjustable feet or Caster wheels
- Heating element for door frame

Product Model	SNACK-400STN	SNACK-400STNG
Unit dimensions (W/D/H mm)	680*710*2010	680*710*2010
Net capacity (L)	429	429
Cooling system	Static with fan cooling	Static with fan cooling
Temperature (°C)	0~+10	0~+10
Shelves No.	3	3
Interior light	LED light	LED light
Compressor	ZEL/ZEL	ZEL/ZEL
Digital thermostat	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R600a
40 ' Container loading	48	48

CABINET VENTILATED SNACK400 SERIES



SNACK-400TNV

SNACK-400BTMV

Features

- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- With lock and key
- LED light
- Ventilated cooling
- Automatic defrost
- CFC free foaming
- 60mm insulation thickness
- Self-closing door

Options

- Adjustable feet or Caster wheels

Product Model	SNACK-400TNV/ SNACK-400TNGV	SNACK-400BTV	SNACK-400TNMV	SNACK-400BTMV
Unit dimensions (W/D/H mm)	680*710*2010	680*710*2010	680*710*2010	680*710*2010
Net capacity (L)	429	429	429	429
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated
Temperature (°C)	-2~+10	-18~22	-2~+10	-18~22
Shelves No.	3	3	3	3
Interior light	LED light	LED light	LED light	LED light
Compressor	ZEL/ZEL	Embraco/Secop	ZEL/ZEL	Embraco/Secop
Digital thermostat	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R134a/R600a	R404a/R290	R134a/R600a	R404a/R290
40 ' Container loading	48	48	48	48

CABINET SNACK800 SERIES



SNACK-800TN

SNACK-800BTG

Features

- Int&Ext material stainless steel
- Revisable self-closing door
- With Temper glass door
- Digital thermostat
- With lock and key
- LED light
- Fan cooling system
- CFC free foaming
- 60mm insulation thickness

Options

- Adjustable feet or Caster wheels

Product Model	SNACK-800TN	SNACK-800TNG
Unit dimensions (W/D/H mm)	1340*710*2010	1340*710*2010
Net capacity (L)	1065	1065
Cooling system	Static with fan cooling	Static with fan cooling
Temperature (°C)	0~+10	0~+10
Shelves No.	6	6
Interior light	LED light	LED light
Compressor	Secop/Secop	Secop/Secop
Digital thermostat	Dixell	Dixell
Kind of coolant	R134a/R290	R134a/R290
40 ' Container loading	25	25

CABINET VENTILATED SNACK800 SERIES



SNACK-800TNV

SNACK-800TNMV

Features

- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- With lock and key
- LED light
- Ventilated cooling
- Automatic defrost
- CFC free foaming
- 60mm insulation thickness

Options

- Adjustable feet or Caster wheels
- Defrost heating tube for evaporator

Product Model	SNACK-800TNV	SNACK-800BTV	SNACK-800TNMV	SNACK-800BTMV
Unit dimensions (W/D/H mm)	1340*710*2010	1340*710*2010	1340*710*2010	1340*710*2010
Net capacity (L)	1065	1065	1065	1065
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated
Temperature (°C)	-2~+10	-18~-22	-2~+10	-18~-22
Shelves No.	6	6	6	6
Interior light	LED light	LED light	LED light	LED light
Compressor	Secop/Secop	Secop	Secop/Secop	Secop
Digital thermostat	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R134a/R290	R404a/R290	R134a/R290	R404a/R290
40 ' Container loading	25	25	25	25

CABINET VENTILATED BAKERY SERIES



PA-800TN

Features

- One full size S/S solid door bakery cabinet chiller
- Int&Ext material stainless steel
- Reversible self-closing door
- Full length stainless steel handle
- Digital thermostat
- With lock and key
- LED light
- Ventilated cooling
- Automatic defrost
- 10 adjustable Bakery 600*800 pan Support
- CFC free foaming
- 60mm insulation thickness

Options

- Adjustable feet or Caster wheels

Product Model	PA-800TN	PA-800BT
Unit dimensions (W/D/H mm)	740*990*2010	740*990*2010
Net capacity (L)	737	737
Cooling system	Ventilated	Ventilated
Temperature (°C)	-2~+10	-18~-22
Interior light	LED light	LED light
Compressor	Secop/Secop	Secop
Digital thermostat	Dixell	Dixell
Kind of coolant	R134a/R290	R404a/R290
40 ' Container loading	33	33

CABINET VENTILATED BAKERY SERIES



GE-800BT

Features

- One full size S/S solid door bakery cabinet freezer
- Int&Ext material stainless steel
- Reversible self-closing door
- Full length stainless steel handle
- Digital thermostat
- With lock and key
- LED light
- Ventilated cooling
- Automatic defrost
- 10 adjustable Bakery 600*800 Shelves,no GN pans
- CFC free foaming
- 60mm insulation thickness

Options

- Adjustable feet or Caster wheels

Product Model	GE-800TN	GE-800BT
Unit dimensions (W/D/H mm)	740*990*2010	740*990*2010
Net capacity (L)	737	737
Cooling system	Ventilated	Ventilated
Temperature (°C)	-2~+10	-18~-22
Shelves No.	/	10
Interior light	LED light	LED light
Compressor	Secop/Secop	Secop
Digital thermostat	Dixell	Dixell
Kind of coolant	R134a/R290	R404a/R290
40 ' Container loading	33	33

COUNTER



CE



GN-4180TN

Features

- European Fashionable style counter chiller/freezer
- Inside and outside stainless steel 304 material for high level product
- Reversible doors and automatically self close when less than 90° open
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Eliwell, Dixell, Carel
- High quality famous compressor: Danfoss, Embraco,
- Fans: Germany Well-known brand EBM fans
- Compatible for GN1/1 Shelves
- Automatic defrost cooling system
- Replaceable door center sill with heating elements
- CFC free with 60mm super thickness
- One layer of gray coated shelves per door as standard
- Adjustable stainless steel feet or lockable castors
- Special various front panel design according to customer request
- Optional glass doors/with GN1/3, GN2/3, GN1/2 Drawers/ SS 201 material/lock and key / internal light/engine room drawer/with splashback

COUNTER
VENTILATED GN SERIES

CE



GN-2100TN



GN-3100TN



GN-4100BT

Features

- Int&Ext material stainless steel
- Reversible self-closing door
- Full length stainless steel handle
- Digital thermostat
- Ventilated cooling
- Automatic defrost

Options

- Adjustable feet or Caster wheels
- With GN1/3, GN2/3, GN1/2 Drawers
- Internal LED light

Product Model	GN-2100TN	GN-2100BT	GN-3100TN	GN-3100BT	GN-4100TN	GN-4100BT
Unit dimensions (W/D/H mm)	1360*700*860	1360*700*860	1795*700*860	1795*700*860	2230*700*860	2230*700*860
Net capacity (L)	282	282	417	417	553	553
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Temperature (°C)	-2~+10	-18~-22	-2~+10	-18~-22	-2~+10	-18~-22
Shelves No.	2	2	3	3	4	4
Interior light	Option	Option	Option	Option	Option	Option
Compressor	ZEL/ZEL	Secop/Secop	ZEL/ZEL	Secop/Secop	Secop/Secop	Secop/Secop
Digital thermostat	Dixell	Dixell	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R134a/R600a	R404a/R290	R134a/R600a	R404a/R290	R134a/R290	R404a/R290
40' Container loading	48	48	38	38	32	32

COUNTER VENTILATED GN SERIES



CE



GN-4200BT



GN-2200TN

Features

- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- Ventilated cooling
- Automatic defrost

Options

- Adjustable feet or Caster wheels
- with GN1/3,GN2/3,GN1/2 Drawers
- Internal LED light

Product Model	GN-2200TN	GN-2200BT	GN-3200TN	GN-3200BT	GN-4200TN	GN-4200BT
Unit dimensions (W/D/H mm)	1360*700*950	1360*700*950	1795*700*950	1795*700*950	2230*700*950	2230*700*950
Net capacity (L)	282	282	417	417	553	553
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Temperature (°C)	-2~-10	-18~-22	-2~-10	-18~-22	-2~-10	-18~-22
Shelves No.	2	2	3	3	4	4
Interior light	Option	Option	Option	Option	Option	Option
Compressor	ZEL/ZEL	Secop/Secop	ZEL/ZEL	Secop/Secop	Secop/Secop	Secop/Secop
Digital thermostat	Dixell	Dixell	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R134a/R600a	R404a/R290	R134a/R600a	R404a/R290	R134a/R290	R404a/R290
40 ' Container loading	48	48	38	38	32	32

COUNTER VENTILATED GN SERIES



CE



GN-2100TNG



GN-3100TNG



GN-4200BTG

Features

- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- Interior light
- Ventilated cooling
- Automatic defrost

Options

- Adjustable feet or Caster wheels
- with GN1/3,GN2/3,GN1/2 Drawers
- Internal LED light

Product Model	GN-2100TNG	GN-2100BTG	GN-3100TNG	GN-3100BTG	GN-4100TNG	GN-4100BTG
Unit dimensions (W/D/H mm)	1360*700*860	1360*700*860	1795*700*860	1795*700*860	2230*700*860	2230*700*860
Net capacity (L)	282	282	417	417	553	553
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Temperature (°C)	-2~-10	-18~-22	-2~-10	-18~-22	-2~-10	-18~-22
Shelves No.	2	2	3	3	4	4
Interior light	Yes	Yes	Yes	Yes	Yes	Yes
Compressor	ZEL/ZEL	Secop/Secop	ZEL/ZEL	Secop/Secop	Secop/Secop	Secop/Secop
Digital thermostat	Dixell	Dixell	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R134a/R600a	R404a/R290	R134a/R600a	R404a/R290	R134a/R290	R404a/R290
40 ' Container loading	48	48	38	38	32	32

COUNTER VENTILATED SNACK SERIES



SNACK-2100TN



SNACK-3100TN



SNACK-4100BT

Features

- Snackcounter with 600mm depth
- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- Ventilated cooling
- Automatic defrost

Options

- Adjustable feet or Caster wheels
- with GN1/3, GN2/3, GN1/2 Drawers
- Internal LED light

Product Model	SNACK-2100TN	SNACK-2100BT	SNACK-3100TN	SNACK-3100BT	SNACK-4100TN	SNACK-4100BT
Unit dimensions (W/D/H mm)	1360*600*850	1360*600*850	1795*600*850	1795*600*850	2230*600*850	2230*600*850
Net capacity (L)	228	228	339	339	449	449
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Temperature (°C)	-2~+10	-18~-22	-2~+10	-18~-22	-2~+10	-18~-22
Shelves No.	2	2	3	3	4	4
Interior light	Option	Option	Option	Option	Option	Option
Compressor	ZEL/ZEL	Secop/Secop	ZEL/ZEL	Secop/Secop	Secop/Secop	Secop/Secop
Digital thermostat	Dixell	Dixell	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R134a/R600a	R404a/R290	R134a/R600a	R404a/R290	R134a/R290	R404a/R290
40' Container loading	48	48	38	38	32	32

COUNTER VENTILATED SNACK SERIES



SNACK-2100TNG



SNACK-3100TNG



SNACK-4100TNG

Features

- Snackcounter with 600mm depth
- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- Interior light
- Ventilated cooling
- Automatic defrost

Options

- Adjustable feet or Caster wheels
- with GN1/3, GN2/3, GN1/2 Drawers
- Internal LED light
- Lock and key
- With Splashback

Product Model	SNACK-2100TNG	SNACK-3100TNG	SNACK-4100TNG
Unit dimensions (W/D/H mm)	1360*600*850	1795*600*850	2230*600*850
Net capacity (L)	228	339	449
Cooling system	Ventilated	Ventilated	Ventilated
Temperature (°C)	-2~+10	-2~+10	-2~+10
Shelves No.	2	3	4
Interior light	Yes	Yes	Yes
Compressor	ZEL/ZEL	ZEL/ZEL	Secop/Secop
Digital thermostat	Dixell	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R600a	R404a/R290
40' Container loading	48	38	32

UNDERCOUNTER VENTILATED UNDER COUNTER



U-GN4100TN



U-GN3160TN

Features

- Undercounter with 650mm height
- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- Ventilated cooling
- Automatic defrost

Options

- Adjustable feet or Caster wheels

Product Model	U-GN2100TN	U-GN3100TN	U-GN3160TN	U-GN4100TN
Unit dimensions (W/D/H mm)	1360*700*650	1795*700*650	1795*700*650	2230*700*650
Net capacity (L)	214	317	317	420
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated
Temperature (°C)	-2~+10	-2~+10	-2~+10	-2~+10
Shelves No.	2	3	/	4
Interior light	Option	Option	Option	Option
Compressor	ZEL/ZEL	ZEL/ZEL	ZEL/ZEL	Secop/Secop
Digital thermostat	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R600a	R134a/R600a	R404A/R290
40 ' Container loading	72	54	54	48

UNDERCOUNTER VENTILATED UNDER COUNTER



U-GN4100BT



U-GN3160BT

Features

- Undercounter with 650mm height
- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- Ventilated cooling
- Automatic defrost

Options

- Adjustable feet or Caster wheels

Product Model	U-GN2100BT	U-GN3100BT	U-GN3160BT	U-GN4100BT
Unit dimensions (W/D/H mm)	1360*700*650	1795*700*650	1795*700*650	2230*700*650
Net capacity (L)	214	317	317	420
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated
Temperature (°C)	-18~-22	-18~-22	-18~-22	-18~-22
Shelves No.	2	3	/	4
Interior light	Option	Option	Option	Option
Compressor	ZEL/ZEL	ZEL/ZEL	ZEL/ZEL	Secop/Secop
Digital thermostat	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R600a	R134a/R600a	R404A/R290
40 ' Container loading	72	54	54	48

COUNTER VENTILATED TOP GLASS SERIES



GN-3100SALGC

Features

- Three S/S solid door counter chiller
- Open top with curved glass door cover
- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- Ventilated cooling
- Automatic defrost
- 3 adjustable GN1/1 Shelves
- CFC free foaming
- R134a refrigerant
- 230V 50HZ

Options

- Adjustable feet or Caster wheels
- Internal LED light
- Lock and key



Product Model	GN-2100SALGC	GN-3100SALGC	GN-4100SALGC
Unit dimensions (W/D/H mm)	1360*740*1365	1795*740*1365	2230*740*1365
Net capacity (L)	314	465	616
Cooling system	Ventilated	Ventilated	Ventilated
Temperature (°C)	+4~+10	+4~+10	+4~+10
Shelves No.	2	3	4
Interior light	Option	Option	Option
Compressor	ZEL/ZEL	ZEL/ZEL	Secop/Secop
Digital thermostat	Dixell	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R600a	R404A/R290
40 ' Container loading	48	38	32

COUNTER VENTILATED TOP GLASS SERIES




GN-3100SALSQ

Features

- Three S/S solid door counter chiller
- Open top with flat glass door cover
- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- Ventilated cooling
- Automatic defrost
- 3 adjustable GN1/1 Shelves
- CFC free foaming
- R134a refrigerant
- 230V 50HZ

Options

- Adjustable feet or Caster wheels
- Internal LED light
- Lock and key



Product Model	GN-2100SALSQ	GN-3100SALSQ	GN-4100SALSQ
Unit dimensions (W/D/H mm)	1360*740*1365	1795*740*1365	2230*740*1365
Net capacity (L)	314	465	616
Cooling system	Ventilated	Ventilated	Ventilated
Temperature (°C)	+4~+10	+4~+10	+4~+10
Shelves No.	2	3	4
Interior light	Option	Option	Option
Compressor	ZEL/ZEL	ZEL/ZEL	Secop/Secop
Digital thermostat	Dixell	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R600a	R404A/R290
40 ' Container loading	48	38	32

COUNTER VENTILATED BAKERY COUNTER



PA-2100TN



PA-3100TN

Features

- Two S/S solid door PA counter chiller
- PA BakeryCounter with 800mm depth
- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- Ventilated cooling
- Automatic defrost
- 2 adjustable Shelves

Options

- Adjustable feet or Caster wheels
- Internal LED light
- Lock and key

Product Model	PA-2100TN	PA-3100TN
Unit dimensions (W/D/H mm)	1510*800*850	2020*800*850
Net capacity (L)	390	580
Cooling system	Ventilated	Ventilated
Temperature (°C)	-2~+10	-2~+10
Shelves No.	2	3
Interior light	Option	Option
Compressor	ZEL/ZEL	Secop/Secop
Digital thermostat	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R290
40' Container loading	30	28

COUNTER VENTILATED BAKERY COUNTER



SH-2000/700



SH-3000/800

Features

- Counter chiller with 700mm depth
- Compatible 7*GN1/3 pans on Prep-top
- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- Ventilated cooling
- Automatic defrost

Options

- Adjustable feet or Caster wheels
- Internal LED light
- Lock and key
- GN1/4,GN1/6 Top



Product Model	SH-2000/700	SH-2000/800	SH-3000/700	SH-3000/800
Unit dimensions (W/D/H mm)	1360*700*1085	1510*800*1085	1795*700*1085	2020*800*1085
Net capacity (L)	282	390	417	580
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated
Temperature (°C)	-2~+10	-2~+10	-2~+10	-2~+10
Shelves No.	2	2	3	3
Interior light	Option	Option	Option	Option
Compressor	ZEL/ZEL	ZEL/ZEL	Secop/Secop	Secop/Secop
Digital thermostat	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R600a	R134a/R290	R134a/R290
40' Container loading	48(HQ)	30(HQ)	38(HQ)	28(HQ)

COUNTER VENTILATED PIZZA COUNTER



CE



PZ-2600TN+VRX1500/380



PZ-1610TN+VRX1500/380

Features

- Pizza counter with VRX on the top
- Granite table top
- With 7 multi functional set of guides
- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- Ventilated cooling
- Automatic defrost

Options

- Adjustable feet or Caster wheels
- Internal LED light
- Lock and key

Product Model	PZ-2600TN	VRX-1500/380	PZ-1610TN	VRX-1500/380
Unit dimensions (W / D / H mm)	1510*800*1000	1500*395*435	1510*800*1000	1500*395*435
Net capacity (L)	390	GN1/3*5+GN1/2*1	390	GN1/3*5+GN1/2*1
Cooling system	Ventilated	Static	Ventilated	Static
Temperature (°C)	-2~+10	0~+10	-2~+10	0~+10
Shelves No.	2	/	2	/
Interior light	Option	/	Option	/
Compressor	ZEL/ZEL	ZEL/ZEL	ZEL/ZEL	ZEL/ZEL
Digital thermostat	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R600a	R134a/R600a	R134a/R600a
40' Container loading	30	261	30	261

COUNTER VENTILATED PIZZA COUNTER



CE



PZ-2610TN+VRX2000/380



PZ-3600TN+VRX2000/380

Features

- Pizza counter with VRX on the top
- Granite table top
- With 7 drawers for storage
- Int&Ext material stainless steel
- Revisable self-closing door
- Full length stainless steel handle
- Digital thermostat
- Ventilated cooling
- Automatic defrost

Options

- Adjustable feet or Caster wheels
- Internal LED light
- Lock and key

Product Model	PZ-3600TN	VRX-2000/380	PZ-2610TN	VRX-2000/380
Unit dimensions (W / D / H mm)	2020*800*1000	2000*395*435	2025*800*1000	2000*395*435
Net capacity (L)	580	GN1/3*9	580	GN1/3*9
Cooling system	Ventilated	Static	Ventilated	Static
Temperature (°C)	-2~+10	0~+10	-2~+10	0~+10
Shelves No.	3	/	2	/
Interior light	Option	/	Option	/
Compressor	Secop/Secop	ZEL/ZEL	Secop/Secop	ZEL/ZEL
Digital thermostat	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R134a/R290	R134a/R600a	R134a/R290	R134a/R600a
40' Container loading	28	196	28	196

SALADETTE



S-900SQ

Features

- European standard two door saladette
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove
- Without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- Compatible for 2*GN1/1 pans and 3*gn1/6 pans
- 2*GN1/1 shelves
- Fan cooling system or Ventilated cooling
- CFC free foaming
- R134a/R600a
- Adjustable feet or small caster wheels



S-900

Options

- Ventilated cooling system/ glass doors/ SS 201 material



S-903 6D

SALADETTE
VENTILATED COOLING

SF-900



SF-903

Features

- New Ventilated cooling Saladette
- Finned Evaporator with assisted fan inside the inner box
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- GN1/1 shelves
- Fan assisted cooling system
- CFC free foaming
- R134a/R600a
- Adjustable feet or small caster wheels

Options

- Ventilated cooling system/glass doors/ SS 201 material

Product Model	SF-900	SF-903
Unit dimensions (W / D / H mm)	900*740*850	1365*740*850
Net capacity (L)	240	368
Cooling system	Ventilated	Ventilated
Temperature (°C)	+4~+10	+4~+10
Shelves No.	2	3
Compressor	ZEL/ZEL	Secop/Secop
Digital thermostat	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R290
40' Container loading	72	48

SALADETTE



CE



S-450



S-900



S-903

Features

- European standard saladette
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- Compatible for GN1/1 pans and GN1/6 pans
- GN1/1 shelves
- Fan cooling system
- CFC free foaming
- R134a/R600a
- Adjustable feet or small caster wheels

Options

- Ventilated cooling system/glass doors/ SS 201 material

Product Model	S-450	S-900	S-903
Unit dimensions (W / D/ H mm)	450*700*850	900*700*850	1365*700*850
Net capacity (L)	108	240	368
Cooling system	Static with fan cooling	Static with fan cooling	Static with fan cooling
Temperature (°C)	0~+10	0~+10	0~+10
Shelves No.	1	2	3
Compressor	ZEL	ZEL/ZEL	Secop/Secop
Digital thermostat	Dixell	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R600a	R134a/R290
40' Container loading	150	72	48

SALADETTE



CE



S-901



S-901 2D



S-901 4D

Features

- Saladette with stainless steel table top with GN1/2 Drawer
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- GN1/1 Shelves+ GN1/2 Drawer
- Fan assisted cooling system
- CFC free foaming
- R134a/R600a
- Adjustable feet or small caster wheels

Options

- Ventilated cooling system/glass doors/ SS 201 material

Product Model	S-901	S-901-2D	S-901-4D
Unit dimensions (W / D/ H mm)	900*700*850	900*700*850	900*700*850
Net capacity (L)	240	230	220
Cooling system	Static with fan cooling	Static with fan cooling	Static with fan cooling
Temperature (°C)	0~+10	0~+10	0~+10
Shelves No.	2	1 plus 2 Drawers GN1/2	4 Drawers GN1/2
Compressor	ZEL/ZEL	ZEL/ZEL	ZEL/ZEL
Digital thermostat	Dixell	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R600a	R134a/R600a
40' Container loading	72	72	72

SALADETTE



Features

- Three s/s solid door Saladette with stainless steel table top
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- 3*GN1/1 shelves
- Fan assisted cooling system

Options

- Ventilated cooling system/glass doors/ SS 201 material/R290 New Refrigerant

S-903S/S TOP



S-903 6D

Features

- Saladette with stainless steel table top with 6*GN1/2 Drawer
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- 6*GN1/2 Drawer
- Fan assisted cooling system

Options

- Ventilated cooling system/glass doors/ SS 201 material

Product Model	S-903 S/S TOP	S-903-6D
Unit dimensions (W / D/ H mm)	1365*700*850	1365*700*850
Net capacity (L)	368	368
Cooling system	Static with fan cooling	Static with fan cooling
Temperature (°C)	0~+10	0~+10
Shelves No.	3	6 Drawers GN1/2
Compressor	Secop/Secop	Secop/Secop
Digital thermostat	Dixell	Dixell
Kind of coolant	R134a/R290	R134a/R290
40' Container loading	48	48

SALADETTE



Features

- Two s/s solid door Saladette with Pre- top
- Refrigerated topping well for 5*GN1/6 Pans
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- 2*GN1/1 shelves
- Fan assisted cooling system

Options

- Ventilated cooling system/glass doors/ SS 201 material/R290 New Refrigerant

PS-200



PS-300

Features

- Three s/s solid door Saladette with Pre- top
- Refrigerated topping well for 8*GN1/6 Pans
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- 3*GN1/1 shelves
- Fan assisted cooling system

Options

- Ventilated cooling system/glass doors/ SS 201 material

Product Model	PS-200	PS-300
Unit dimensions (W / D/ H mm)	900*700*970	1365*700*970
Net capacity (L)	240	392
Cooling system	Static with fan cooling	Static with fan cooling
Temperature (°C)	0~+10	0~+10
Shelves No.	2	3
Compressor	ZEL/ZEL	Secop/Secop
Digital thermostat	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R290
40' Container loading	72	48

SALADETTE



Features

- Two s/s solid door Saladette with Granite top
- Refrigerated topping well for 5*GN1/6 Pans
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- 2*GN1/1 shelves
- Fan assisted cooling system

Options

- Ventilated cooling system/ glass doors/ SS 201 material/ R290 New Refrigerant



PS-900



PS-903

Features

- Three s/s solid door Saladette with Granite top
- Refrigerated topping well for 8*GN1/6 Pans
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- 3*GN1/1 shelves
- Fan assisted cooling system

Options

- Ventilated cooling system/ glass doors/ SS 201 material

Product Model	PS-900	PS-903
Unit dimensions (W/D/H mm)	900*700*1075	1365*700*1075
Net capacity (L)	240	402
Cooling system	Static with fan cooling	Static with fan cooling
Temperature (°C)	0~+10	0~+10
Shelves No.	2	3
Compressor	ZEL/ZEL	Secop/Secop
Digital thermostat	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R290
40' Container loading	72	48(HQ)

SALADETTE



Features

- Three s/s solid door Saladette with Granite top
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- 3*GN1/1 shelves
- Fan assisted cooling system
- CFC free foaming
- R134a/R600a
- Adjustable feet or small caster wheels



S-903 PZ+VRX1400/330



Options

- Ventilated cooling system/glass doors/ SS 201 material

Product Model	S-903PZ	VRX-1400/330
Unit dimensions (W/D/H mm)	1400*700*1020	1400*335*435
Net capacity (L)	368	GN1/4*6
Cooling system	Static with fan cooling	Static
Temperature (°C)	0~+10	0~+10
Shelves No.	3	2
Compressor	Secop/Secop	ZEL/ZEL
Digital thermostat	Eliwell/Dixell	Dixell
Kind of coolant	R134a/R290	R134a/R600a
40' Container loading	48(HQ)	343

SALADETTE



S-900CG

Features

- Two s/s solid door Saladette with curved glass cover
- Open top suitable for 2*GN1/1 pans and 3*GN1/6 Pans
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- 2*GN1/1 shelves
- Fan assisted cooling system

Options

- Ventilated cooling system/ glass doors/ SS 201 material/ R290 New Refrigerant



S-903SQ

Features

- Three s/s solid door saladette with squared glass cover
- Open top suitable for 4*GN1/1 pans
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- 3*GN1/1 shelves
- Fan assisted cooling system
- CFC free foaming

Options

- Ventilated cooling system/ glass doors/ SS 201 material/ R290 New Refrigerant

Product Model	S-900SQ	S-903SQ	S-900CG	S-903CG
Unit dimensions (W/D/H mm)	900*700*850	1365*700*850	900*700*850	1365*700*850
Net capacity (L)	240	368	240	368
Cooling system	Static with fan cooling	Static with fan cooling	Static with fan cooling	Static with fan cooling
Temperature (°C)	0~+10	0~+10	0~+10	0~+10
Shelves No.	2	3	2	3
Compressor	ZEL/ZEL	Secop/Secop	ZEL/ZEL	Secop/Secop
Digital thermostat	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R290	R134a/R600a	R134a/R290
40 ' Container loading	72	48	72	48

SALADETTE




S-902

Features

- Two s/s solid door saladette with top compatible for 3*GN1/1 Pan
- Interior and exterior stainless steel AISI304 material for high level product
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- 2*GN1/1 Shelves
- Fan assisted cooling system
- CFC free foaming
- R134a/R600a
- Adjustable feet or small caster wheels

Options

- Ventilated cooling system/ glass doors/ SS 201 material/ R290 New Refrigerant



Product Model	S-902
Unit dimensions (W/D/H mm)	1045*700*850
Net capacity (L)	302
Cooling system	Static with fan cooling
Temperature (°C)	0~+10
Shelves No.	2
Compressor	ZEL/ZEL
Digital thermostat	Dixell
Kind of coolant	R134a/R600a
40 ' Container loading	60

BAR COOLER

CE



DC-210



DC-310

Features

- Ventilated cooling
- Exterior Material cold plate with spray powder
- Interior material embossed aluminum sheet
- Evaporator Cooper-finned aluminum
- Digital thermostat
- With LED light
- With evaporator fan and condenser fan

Options

- Exterior or interior material SS304
- Adjustable feet or castors
- Drawers or glass door

Product Model	DC-210	DC-310	DC-410
Unit dimension (W/D/H mm)	1465*520*840	2005*520*840	2540*520*840
Packing dimension (W/D/H mm)	1530*580*1035	2070*580*1035	2605*580*1035
Net capacity (L)	280	425	575
Cooling Type	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling
Temperature (°C)	-2~10	-2~10	-2~10
Kind of coolant	R290	R290	R290
Compressor	Cubigel	Cubigel	Cubigel
40 'HC Container loading	60	44	32

BAR COOLER

CE



DC-220G



DC-350

Features

- Ventilated cooling
- Exterior Material cold plate with spray powder
- Interior material embossed aluminum sheet
- Evaporator Cooper-finned aluminum
- Digital thermostat
- With LED light
- With evaporator fan and condenser fan

Options

- Exterior or interior material SS304
- Adjustable feet or castors
- Foaming door

Product Model	DC-220G	DC-350
Unit dimension (W/D/H mm)	1465*520*840	2005*520*840
Packing dimension (W/D/H mm)	1530*580*1035	2070*580*1035
Net Capacity(L)	204	307
Cooling Type	Ventilated	Ventilated
Temperature (°C)	2~+8	2~+8
Compressor	Cubigel	Cubigel
Kind of coolant	R290	R290
40 'HC Container loading	60	44

REFRIGERATED TOPPING UNIT



VRX-2000/330



VRX-2000/380S/S LID

Product Model	VRX-1200/330	VRX-1400/330	VRX-1500/330	VRX-1600/330	VRX-1800/330
Unit dimensions (W/D/H mm)	1200*335*435	1400*335*435	1500*335*435	1600*335*435	1800*335*435
Net capacity (L)	GN1/4*5	GN1/4*6	GN1/4*7	GN1/4*8	GN1/4*9
Cooling system	Static	Static	Static	Static	Static
Temperature (°C)	0~+10	0~+10	0~+10	0~+10	0~+10
Compressor	ZEL/ZEL	ZEL/ZEL	ZEL/ZEL	ZEL/ZEL	ZEL/ZEL
Digital thermostat	Dixell	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R600a	R134a/R600a	R134a/R600a	R134a/R600a
40' Container loading	386	336	310	294	260

REFRIGERATED TOPPING UNIT

Features

- European standard refrigerated topping unit
- Interior and exterior stainless steel AISI304 material for high level product
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco, Zanussi
- Accept GN1/4 pans for 330 range and GN1/3 pans for 380 range
- CFC free foaming
- R134a/R600a
- Adjustable feet
- Optional: top stainless steel cover/ SS 201 material/R290 New Refrigerant


330 SERIES

380 SERIES




VRX-2000/330	VRX-1200/380	VRX-1400/380	VRX-1500/380	VRX-1600/380	VRX-1800/380	VRX-2000/380
2000*335*435	1200*395*435	1400*395*435	1500*395*435	1600*395*435	1800*395*435	2000*395*435
GN1/4*10	GN1/3*3+GN1/2*1	GN1/3*4+GN1/2*1	GN1/3*5+GN1/2*1	GN1/3*7	GN1/3*8	GN1/3*9
Static	Static	Static	Static	Static	Static	Static
0~+10	0~+10	0~+10	0~+10	0~+10	0~+10	0~+10
ZEL/ZEL	ZEL/ZEL	ZEL/ZEL	ZEL/ZEL	ZEL/ZEL	ZEL/ZEL	ZEL/ZEL
Dixell	Dixell	Dixell	Dixell	Dixell	Dixell	Dixell
R134a/R600a	R134a/R600a	R134a/R600a	R134a/R600a	R134a/R600a	R134a/R600a	R134a/R600a
242	323	280	261	247	218	196

REFRIGERATED TOPPING UNIT



• Exclusive sales in the United States and Canada

- Features**
- Interior and exterior stainless steel material for high level product
 - High quality famous compressor: Zanussi
 - Accept GN1/6 pans range
 - CFC free foaming
 - R134a/R600a
 - Adjustable feet




Product Model	RTR-4	RTR-8
Interna Dimension(W/D/H mm)	300*145*156	624*145*156
External Dimension WITH WEELS(W/D/H mm)	379*656*236	699*656*236
Packing Dimension(W/D/H mm)	450*715*380	770*715*380
Refrigerant	R600a	R600a
Net Volume	GN1/6*4	GN1/6*8
Cooling system	static	static
Temperature Control	Mechanical thermostat	Mechanical thermostat
Compressor standard	ZEL	ZEL
Temperature(°C)	0-10	0-10
40 ' Container loading	560	336


REACH-IN



ST-27BR



ST-27BR&ST27BF




Features

- American fashionable style upright cabinet chiller/freezer
- Exterior material SS430, interior Pre-coated Aluminum
- Reversible doors and automatically self close when less than 90° open
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- With Lock and key
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco
- Internal LED light




ST-54BR



ST-54BR&ST54BF



ST-81BR




ST-81BR&ST81BF

Product Model	ST-27BR	ST-27BF	ST-54BR	ST-54BF	ST-81BR	ST-81BF
Unit dimensions (W/D/H mm/inch)	686*815*2111 27*32 _{1/8} *83 _{1/8}	686*815*2111 27*32 _{1/8} *83 _{1/8}	1375*815*2111 54 _{1/8} *32 _{1/8} *83 _{1/8}	1375*815*2111 54 _{1/8} *32 _{1/8} *83 _{1/8}	2050*815*2106 80 _{5/7} *32 _{1/8} *82 _{8/9}	2050*815*2106 80 _{5/7} *32 _{1/8} *82 _{8/9}
Packing imensions (W/D/H mm/inch)	726*890*2187 28 _{4/7} *35*86 _{1/8}	726*890*2187 28 _{4/7} *35*86 _{1/8}	1415*890*2187 55 _{5/7} *35*86 _{1/8}	1415*890*2187 55 _{5/7} *35*86 _{1/8}	2090*890*2187 82 _{2/7} *35*86 _{1/8}	2090*890*2187 82 _{2/7} *35*86 _{1/8}
Net capacity (CUFT)	21	21	46	46	63	63
Net Capacity(L)	594	594	1302	1302	1784	1784
Cooling System	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range(°F)	33~41	-10~10	33~41	-10~10	33~41	-10~10
Kind Of Refrigerant	R290	R290	R290	R290	R290	R290
Compressor	Cubigel	Cubigel	Cubigel	Cubigel	Cubigel	Cubigel
Controller Brand	Digital(Dixell)	Digital(Dixell)	Digital(Dixell)	Digital(Dixell)	Digital(Dixell)	Digital (IREVCOHNOO)
Light	LED	LED	LED	LED	LED	LED
Number of Shelves	3	3	6	6	9	9
Number of Door	1	1	2	2	3	3
40' Container load	39	39	21	21	13	13


REACH-IN




ST-27BRG



ST-27BRG&ST-27BFG




ST-54BRG



ST-54BRG&ST-54BFG



ST-81BRG



ST-81BRG&ST-81BFG

Features

- American fashionable style upright cabinet chiller/freezer
- Exterior material SS430, interior Pre-coated Aluminum
- Reversible doors and automatically self close when less than 90° open
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- With Lock and key
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco
- Internal LED light



Product Model	ST-27BRG	ST-27BFG	ST-54BRG	ST-54BFG	ST-81BRG	ST-81BFG
Unit dimensions (W/D/H mm/inch)	686*835*2111 27*32 7/8*83 1/9	686*835*2111 27*32 7/8*83 1/9	1375*835*2111 54 1/8*32 7/8*83 1/9	1375*835*2111 54 1/8*32 7/8*83 1/9	2050*835*2106 80 5/7*32 7/8*83 8/9	2050*835*2106 80 5/7*32 7/8*83 8/9
Packing imensions (W/D/H mm/inch)	726*890*2187 28 4/7*35*86 1/9	726*890*2187 28 4/7*35*86 1/9	1415*890*2187 55 5/7*35*86 1/9	1415*890*2187 55 5/7*35*86 1/9	2090*890*2187 82 2/7*35*86 1/9	2090*890*2187 82 2/7*35*86 1/9
Net capacity (CUFT)	21	21	46	46	63	63
Net Capacity(L)	594	594	1302	1302	1784	1784
Cooling System	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range(°F)	33~41	-10~10	33~41	-10~10	33~41	-10~10
Kind Of Refrigerant	R290	R290	R290	R290	R290	R290
Compressor	Cubigel	Cubigel	Cubigel	Embraco	Cubigel	Cubigel
Controller Brand	Digital(Dixell)	Digital(Dixell)	Digital(Dixell)	Digital(Dixell)	Digital(Dixell)	Digital (IREVCOHNOO)
Light	LED	LED	LED	LED	LED	LED
Number of Shelves	3	3	6	6	9	9
Number of Door	1	1	2	2	3	3
40' Container load	39	39	21	21	13	13



UNDER COUNTER



TUC-29R



TUC-60R




TUC-29R

Features


- American fashionable style counter
- Exterior material SS430, interior Pre-coated Aluminum
- Reversible doors and automatically self close when less than 90° open
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- With Lock and key
- Digital thermostat (Italian famous brand Dixell, Carel, Eliwell)
- High quality famous compressor: Embraco

Options


- Fans: Germany Well-known brand EBM fans
- Automatic defrost cooling system
- Adjustable stainless steel feet or lockable castors
- Special various front panel design according to customer request



TUC-48R



TUC-60R



TUC-72R



Product Model	TUC-29R	TUC-48R	TUC-60R	TUC-72R
Unit dimensions (W / D / H mm)	735*799*966	1230*799*966	1555*799*966	1827*799*966
Unit dimensions (W / D / H inch)	28 ⁹ / ₁₆ *31 ⁴ / ₁₆ *38	48 ³ / ₁₆ *31 ⁴ / ₁₆ *38	61 ² / ₁₆ *31 ⁴ / ₁₆ *38	71 ⁸ / ₁₆ *31 ⁴ / ₁₆ *38
Packing dimensions (W / D / H mm)	783*847*1029	1278*847*1029	1603*847*1029	1875*847*1029
Packing dimensions (W / D / H inch)	30 ⁵ / ₁₆ *33 ¹ / ₁₆ *40 ¹ / ₂	50 ¹ / ₁₆ *33 ¹ / ₁₆ *40 ¹ / ₂	63 ¹ / ₁₆ *33 ¹ / ₁₆ *40 ¹ / ₂	73 ⁵ / ₁₆ *33 ¹ / ₁₆ *40 ¹ / ₂
Net capacity (CUFT)	6.7	11.1	14.1	16.6
Net Capacity(L)	190	314	399	470
Cooling System	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range(°F)	33~41	33~41	33~41	33~41
Kind Of Refrigerant	R290	R290	R290	R290
Compressor	Embraco	Embraco	Embraco	Embraco
Controller Brand	Digital(Dixell)	Digital(Dixell)	Digital(Dixell)	Digital(Dixell)
Light	/	/	/	/
Number of Shelves	1	2	2	3
Number of Door	1	2	2	3
40 " Container load	60	46	28	28

UNDER COUNTER



TUC-29F

TUC-60F




TUC-29F

Features


- American fashionable style counter
- Exterior material SS430, interior Pre-coated Aluminum
- Reversible doors and automatically self close when less than 90° open
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- With Lock and key
- Digital thermostat Italian famous brand Dixell, Carel, Elitwell
- High quality famous compressor: Embraco/ Internal LED light

Options


- Fans: Germany Well-known brand EBM fans
- Automatic defrost cooling system
- Adjustable stainless steel feet or lockable castors
- Special various front panel design according to customer request



TUC-48F



TUC-60F




TUC-72F

Product Model	TUC-29F	TUC-48F	TUC-60F	TUC-72F
Unit dimensions (W / D/ H mm)	735*799*966	1230*799*966	1555*799*966	1827*799*966
Unit dimensions (W / D/ H inch)	28 ^{9/16} *31 ^{4/9} *38	48 ^{3/7} *31 ^{4/9} *38	61 ^{2/5} *31 ^{4/9} *38	71 ^{8/9} *31 ^{4/9} *38
Packing dimensions (W / D/ H mm)	783*847*1029	1278*847*1029	1603*847*1029	1875*847*1029
Packing dimensions (W / D/ H inch)	30 ^{5/8} *33 ^{1/3} *40 ^{1/2}	50 ^{1/3} *33 ^{1/3} *40 ^{1/2}	63 ^{1/8} *33 ^{1/3} *40 ^{1/2}	73 ^{5/8} *33 ^{1/3} *40 ^{1/2}
Net capacity (CUFT)	6.7	11.1	14.1	16.6
Net Capacity(L)	190	314	399	470
Cooling System	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range(°F)	-10~10	-10~10	-10~10	-10~10
Kind Of Refrigerant	R290	R290	R290	R290
Compressor	Embraco	Embraco	Embraco	Embraco
Controller Brand	Digital(Dixell)	Digital(Dixell)	Digital(Dixell)	Digital(Dixell)
Light	/	/	/	/
Number of Shelves	1	2	2	3
Number of Door	1	2	2	3
40 " Container load	60	46	28	28

PIZZA PREP TABLE



TPP-67




Features


- American fashional style Saladette
- Exterior material SS430, interior Pre-coated Aluminum
- Reversible doors and automatically self close when less than 90° open
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- With Lock and key
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco

Options


- Fans: Germany Well-known brand EBM fans
- Automatic defrost cooling system
- Adjustable stainless steel feet or lockable castors



TPP-44



TPP-67



TPP-93

Product Model	TPP-44	TPP-67	TPP-93
Unit dimensions (W / D / H mm)	1117*820*1062	1702*820*1062	2362*820*1062
Unit dimensions (W / D / H inch)	44*32 ^{2/7} *41 ^{4/5}	67*32 ^{2/7} *41 ^{4/5}	93*32 ^{2/7} *41 ^{4/5}
Packing dimensions (W / D / H mm)	1161*871*1146	1750*871*1146	2406*871*1146
Packing dimensions (W / D / H inch)	45 ^{5/7} *34 ^{2/7} *45 ^{1/9}	68 ^{8/9} *34 ^{2/7} *45 ^{1/9}	95 ^{5/7} *34 ^{2/7} *45 ^{1/9}
Net capacity (CUFT)	10.9	20.9	30.8
Net Capacity(L)	310L	592L	872L
Cooling System	Ventilated	Ventilated	Ventilated
Temperature range(°F)	33~41	33~41	33~41
Kind Of Refrigerant	R290	R290	R290
Compressor	SECOP/cubigel	SECOP/cubigel	SECOP/cubigel
Controller Brand	Digital(Dixell)	Digital(Dixell)	Digital(Dixell)
Light	/	/	/
Number of Shelves	1	2	3
Number of Door	1	2	3
40' Container load	52	26	8



SALAD AND SANDWICH PREP TABLE






TSSP-48



TSSP-72



TSSP-29




Features


- American fashionable style Saladette
- Exterior material SS430, interior Pre-coated Aluminum
- Reversible doors and automatically self close when less than 90° open
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- With Lock and key
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco

Options


- Fans: Germany Well-known brand EBM fans
- Automatic defrost cooling system
- Adjustable stainless steel feet or lockable castors



TSSP-48



TSSP-60



TSSP-72



Product Model	TSSP-29	TSSP-48	TSSP-60	TSSP-72
Unit dimensions (W / D/ H mm)	735*799*1144	1230*799*1144	1555*799*1144	1827*799*1144
Unit dimensions (W / D/ H inch)	28 ^{9/8} *31 ^{4/9} *45	48 ^{3/7} *31 ^{4/9} *45	61 ^{2/9} *31 ^{4/9} *45	71 ^{8/9} *31 ^{4/9} *45
Packing dimensions (W / D/ H mm)	783*847*1225	1278*847*1225	1603*847*1225	1875*847*1225
Packing dimensions (W / D/ H inch)	30 ^{5/8} *33 ^{1/3} *48 ^{2/9}	50 ^{1/3} *33 ^{1/3} *48 ^{2/9}	63 ^{1/9} *33 ^{1/3} *48 ^{2/9}	73 ^{5/6} *33 ^{1/3} *48 ^{2/9}
Net capacity (CUFT)	7.6	13.8	17.8	21.2
Net Capacity(L)	215L	390L	505L	601L
Cooling System	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range(°F)	33~41	33~41	33~41	33~41
Kind Of Refrigerant	R290	R290	R290	R290
Compressor	SECOP/cubigel	SECOP/cubigel	SECOP/cubigel	SECOP/cubigel
Controller Brand	Digital(Dixell)	Digital(Dixell)	Digital(Dixell)	Digital(Dixell)
Light	/	/	/	/
Number of Shelves	1	2	2	3
Number of Door	1	2	2	3
40 ' Container load	60	46	28	28

SALAD AND SANDWICH PREP TABLE



TSSP-29(M)

TSSP-48(M)




TSSP-29(M)

Features


- American fashionable style Saladette
- Exterior material SS430, interior Pre-coated Aluminum
- Reversible doors and automatically self close when less than 90° open
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside. Easy to remove without use of tools
- With Lock and key
- Digital thermostat Italian famous brand Dixell, Carel, Eliwell
- High quality famous compressor: Embraco

Options


- Fans: Germany Well-known brand EBM fans
- Automatic defrost cooling system
- Adjustable stainless steel feet or lockable castors



TSSP-48(M)



TSSP-60(M)




TSSP-72(M)

Product Model	TSSP-29(M)	TSSP-48(M)	TSSP-60(M)	TSSP-72(M)
Unit dimensions (W / D / H mm)	735*892*1196	1230*892*1196	1555*892*1196	1827*892*1196
Unit dimensions (W / D / H inch)	28 ^{9/16} *35 ^{1/8} *47 ^{1/8}	48 ^{3/7} *35 ^{1/8} *47 ^{1/8}	61 ^{2/5} *35 ^{1/8} *47 ^{1/8}	71 ^{8/16} *35 ^{1/8} *47 ^{1/8}
Packing dimensions (W / D / H mm)	783*933*1277	1278*933*1277	1603*933*1277	1875*933*1277
Packing dimensions (W / D / H inch)	30 ^{5/16} *36 ^{3/4} *50 ^{2/7}	50 ^{1/3} *36 ^{3/4} *50 ^{2/7}	63 ^{1/8} *36 ^{3/4} *50 ^{2/7}	73 ^{5/16} *36 ^{3/4} *50 ^{2/7}
Net capacity (CUFT)	7.6	13.8	17.8	21.2
Net Capacity(L)	215L	390L	505L	601L
Cooling System	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range(°F)	33~41	33~41	33~41	33~41
Kind Of Refrigerant	R290	R290	R290	R290
Compressor	SECOP/cubigel	SECOP/cubigel	SECOP/cubigel	SECOP/cubigel
Controller Brand	Digital(Dixell)	Digital(Dixell)	Digital(Dixell)	Digital(Dixell)
Light	/	/	/	/
Number of Shelves	1	2	2	3
Number of Door	1	2	2	3
40' Container load	60	42	28	24


CHEF BASE



CB-36TN



CB-52TN



Features


- Adjustable stainless steel feet or lockable castors
- Exterior material and interior material SS201
- Digital thermostat
- High quality compressor: Huayi
- With evaporator fan and condenser fan
- With drawers
- With strong castors

Options

- Exterior or interior material SS304



CB-72TN



Product Model	CB-36TN	CB-52TN	CB-72TN
Unit dimension (W/D/H mm)	920*820*685	1340*820*685	1835*820*685
Packing dimension (W/D/H mm)	980*880*730	1400*880*730	1895*880*730
Unit dimension (W/D/H inch)	36.2"X32.3"X27"	52.8"X32.3"X27"	72.2"X32.3"X27"
Packing dimension (W/D/H inch)	38.5" *34.6" *28.7"	55" *34.6" *28.7"	74.6" *34.6" *28.7"
Net capacity(CUFT)	4.66	7.94	11.79
Capacity(L)	132	225	334
Controller brand	Carel	Carel	Carel
Number of drawers	2	2	4
Cooling Type	Ventilated	Ventilated	Ventilated
Compressor	HUAYI/NUT45NR	HUAYI/NUT45NR	HUAYI/NUT45NR
Kind of coolant	R290/60g	R290/75g	R290/100g
Temperature (F)	32~41	32~41	32~41
Kind of coolant	R290	R290	R290
40 'HC Container loading	78	48	39

UPRIGHT CHILLER/FREEZER



SPRAYING COAT



SF-20

SR-40

SR-60

Features

- European standard white prepainted solid door upright chiller/freezer
- Digital Thermostat
- Lock and key
- Fan assisted cooling system
- Reversible self-closing door
- Roll bond plate with fan for chiller
- 7 layer of evaporator as shelves for freezer
- Two front adjustable feet, two rear wheels

Options

- Outside stainless steel material or glass
- Eliwell / Dixell

Product Model	SR-20	SR-40	SR-40V	SR-60	SR-60V
Unit dimensions (W/D/H mm)	595*653*870	595*653*1840	595*653*1840	775*723*1840	775*723*1840
Net capacity (L)	143	356	356	580	580
Cooling system	Static	Static with fan cooling	Ventilated	Static with fan cooling	Ventilated
Temperature (°C)	0~+8	0~+8	0~+8	0~+8	0~+8
Shelves No.	1+1	3+1	3+1	3 + 1	3 + 1
Interior light	Yes	Yes	Yes	Yes	Yes
Compressor	ZEL/ZEL	ZEL/ZEL	ZEL/ZEL	ZEL/ZEL	ZEL/ZEL
Digital thermostat	Dixell	Dixell	Dixell	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R600a	R134a/R600a	R134a/R600a	R134a/R600a
40 ' Container loading	108	54	54	42	42

UPRIGHT CHILLER/FREEZER



STAINLESS STEEL



SR-20S

SF-40VS

SF-60VS

Features

- European standard white prepainted solid door upright chiller/freezer
- Digital Thermostat
- Lock and key
- Fan assisted cooling system
- Reversible self-closing door
- Roll bond plate with fan for chiller
- 7 layer of evaporator as shelves for freezer
- Two front adjustable feet, two rear wheels

Options

- Outside stainless steel material Eliwell / Dixell

Product Model	SF-20	SF-40V	SF-60V
Unit dimensions (W/D/H mm)	595*653*870	595*653*1840	775*723*1840
Net capacity (L)	143	345	506
Cooling system	Static	Ventilated	Ventilated
Temperature (°C)	-18	-18	-18
Shelves No.	1+1	6+1	6+1
Interior light	Yes	Yes	Yes
Compressor	ZEL/ZEL	Embraco/ZEL	Embraco/ZEL
Digital thermostat	Dixell/Elitech	Dixell/Elitech	Dixell/Elitech
Kind of coolant	R134a/R600a	R404a/R290	R404a/R290
40 ' Container loading	108	54	42

UPRIGHT CHILLER/FREEZER



SR-20G

SR-40G

Features

- European standard glass door upright chiller
- Digital Thermostat
- Lock and key
- Fan assisted cooling system
- Reversible self-closing door
- Roll bond plate with fan
- Two front adjustable feet, two rear wheels

Options

- Outside door stainless steel material or white prepainted steel
- Eliwell / Dixell

Product Model	SR-20G	SF-40VG	SR-40G	SR-40VG
Unit dimensions (W/D/H mm)	595*653*870	595*653*1840	595*653*1840	595*653*1840
Net capacity (L)	143	345	356	356
Cooling system	Static	Ventilated	Static with fan cooling	Ventilated
Temperature (°C)	0~+8	-18	0~+8	0~+8
Shelves No.	1+1	6+1	3+1	3+1
Interior light	Yes	Yes	Yes	Yes
Compressor	ZEL/ZEL	Embraco/ZEL	ZEL/ZEL	ZEL/ZEL
Digital thermostat	Dixell	Dixell/Elitech	Dixell	Dixell
Kind of coolant	R134a/R600a	R404a/R290	R134a/R600a	R134a/R600a
40 ' Container loading	108	54	54	54

UPRIGHT CHILLER/FREEZER



STAINLESS STEEL



SR-60VG

Features

- European standard glass door upright chiller
- Digital Thermostat
- Lock and key
- Fan assisted cooling system
- Reversible self-closing door
- Roll bond plate with fan
- Two front adjustable feet, two rear wheels

Options

- Outside door stainless steel material or white prepainted steel
- Eliwell / Dixell

Product Model	SF-60VG	SR-60G	SR-60VG
Unit dimensions (W/D/H mm)	775*723*1840	775*723*1840	775*723*1840
Net capacity (L)	506	580	580
Cooling system	Ventilated	Static with fan cooling	Ventilated
Temperature (°C)	-18	0~+8	0~+8
Shelves No.	6+1	3+1	3+1
Interior light	Yes	Yes	Yes
Compressor	Embraco/ZEL	ZEL/ZEL	ZEL/ZEL
Digital thermostat	Dixell/Elitech	Dixell	Dixell
Kind of coolant	R404a/R290	R134a/R600a	R134a/R600a
40 ' Container loading	42	42	42



02

***Supermarket &
Convenient
Store Refrigeration***

SERVICE OVER COUNTER DELI SHOWCASE



Features

- Interior and exterior stainless steel material
- Attractive curved glass with rear sliding glass doors
- Rounded corner design inside of the cabinet makes storage room easy to clean
- Shelves: Adjustable heavy-duty PVC coated shelves
- Standard heavy-duty casters make it easy to move and clean underneath
- Ventilated Cooling System, Faster cooling speed and effect

Product Model	STD-3732V	STD-4832V	STD-6032V	STD-7132V
Unit dimensions (W/D/H mm)	920*825*1200	1200*825*1200	1500*825*1200	1800*825*1200
Unit dimensions (W/D/H inch)	36 1/4 *32 1/2 *47 1/4	47 1/4 *32 1/2 *47 1/4	59*32 1/2 *47 1/4	70 7/8**32 1/2*47 1/4
Packing dimensions (W/D/H mm)	980*890*1250	1260*890*1250	1560*890*1250	1860*890*1250
Packing dimensions (W/D/H inch)	38 5/8 *35*49 1/4	49 5/8 *35*49 1/4	61 3/8 *35*49 1/4	73 1/4 *35*49 1/4
Display Area(M2/FT2)	1.2/12.92	1.4/15.07	1.63/17.55	1.85/19.91
Effective Volume(L/FT3)	205/7.24	265/9.36	335/11.83	400/14.13
Cooling System	ventilated	ventilated	ventilated	ventilated
Light	LED	LED	LED	LED
Temperature	3M1	3M1	3M1	3M1
Compressor	EMBRACO	EMBRACO	EMBRACO	EMBRACO
Kind of Coolant	R290	R290	R290	R290
40 ' Container load	52	44	26	26

SERVICE OVER COUNTER DELI SHOWCASE




Features

- Interior and exterior stainless steel material
- Attractive curved glass with rear sliding glass doors
- Rounded corner design inside of the cabinet makes storage room easy to clean
- Shelves: Adjustable heavy-duty PVC coated shelves
- Standard heavy-duty casters make it easy to move and clean underneath
- Ventilated Cooling System, Faster cooling speed and effect

Product Model	STD-3732S	STD-4832S	STD-6032S	STD-7132S
Unit dimensions (W/D/H mm)	920*825*1200	1200*825*1200	1500*825*1200	1800*825*1200
Unit dimensions (W/D/H inch)	36 1/4**32 1/2**47 1/4"	47 1/4**32 1/2**47 1/4"	59**32 1/2**47 1/4"	70 7/8**32 1/2**47 1/4"
Packing dimensions (W/D/H mm)	980*890*1250	1260*890*1250	1560*890*1250	1860*890*1250
Packing dimensions (W/D/H inch)	38 5/8**35**49 1/4"	49 5/8**35**49 1/4"	61 3/8**35**49 1/4"	73 1/4**35**49 1/4"
Display Area(M2/FT2)	1.2/12.92	1.4/15.07	1.63/17.55	1.85/19.91
Effective Volume(L/FT3)	205/7.24	265/9.36	335/11.83	400/14.13
Cooling System	Static	Static	Static	Static
Light	LED	LED	LED	LED
Temperature	3M1	3M1	3M1	3M1
Compressor	EMBRACO	EMBRACO	EMBRACO	EMBRACO
Kind of Coolant	R290	R290	R290	R290
40 ' Container load	52	44	26	26

MINI PROMOTIONAL BEVERAGE CABINET



BLF-706

Features

- Digital controller
- Finned evaporator
- Automatic defrost
- LED light for every shelf
- With night curtain
- Adjustable shelves
- With price label setting
- Automatic drain water

Options

- Various color for the part
- LED light or ordinary light
- Side wall material

Product Model	BLF-706
Unit dimensions (W/D/H mm)	706*717*1500
Packing dimensions (W/D/H mm)	740*750*1670
Effective Volume (M ³)	0.16
Display area (M ²)	0.52
Kind of coolant	R404a/R290
Temperature (°C)	3M2
Compressor	Embraco/Secop
Digital thermostat	Dixell
Light	LED light
40 ' HC Container load	48

MINI PROMOTIONAL BEVERAGE CABINET



BLF-926

Features

- Triple pan evaporation system
- Cassette system for easy maintenance and service
- Night blind to reduce energy consumption
- At-front product presentation without door
- Energy efficient
- Energy saving management
- Automatic defrost and condensate evaporation
- Four adjustable shelves plus bottom shelf
- Shelf supports can be fixed in inclined position
- Space keeper in the back
- 4 wheels
- Two side LED light+Top LED light
- All options on demand

Product Model	BLF-926
Unit dimensions (W/D/H mm)	896*717*2040
Packing dimensions (W/D/H mm)	1010*850*2120
Effective Volume (M ³)	0.42
Display area (M ²)	1.24
Kind of coolant	R404A
Temperature (°C)	3M2
Compressor	Embraco
Digital thermostat	Dixell
Light	LED light
40 ' HC Container load	28



OPEN TOP COOLER



STP-0809C

Features

- R290
- Embraco Compressor&dixell thermostat, Better product quality
- Ventilated cooling, Better performance
- wheels, Easy to move
- Compact product, low energy consumption
- Hot gas pipe assisted evaporating drain water
- Three sides glass. Better display.
- E:220~240V/50or60Hz, U:110~127V/60Hz



Product Model	STP0809C	STP0809CG(GLASS DOOR)
Unit dimensions (W/D/H mm/inch)	772*833*930 30 _{25/64} *32 _{51/64} *36 _{39/64}	772*833*930 30 _{25/64} *32 _{51/64} *36 _{39/64}
Package dimensions (W/D/H mm/inch)	860*920*1104 33 _{55/64} *36 _{7/32} *43 _{15/32}	860*920*1104 33 _{55/64} *36 _{7/32} *43 _{15/32}
Cooling system	Ventilated	Ventilated
Net capacity(L/ft³)	87/3.07	87/3.07
Display Area(M2/ft2)	1.21/13.02	1.21/13.02
Kind of coolant	R290	R290
Temperature range(°C/°F)	2~8/35~46	2~8/35~46
Compressor	Embraco	Embraco
Thermostat	Dixell	Dixell
40' Container load	56	56



FREEZER & COOLER INTERCHANGEABLE



STP-0809FG

Features

- R290
- Embraco Compressor&dixell thermostat, Better product quality
- Ventilated cooling, Better performance
- wheels, Easy to move
- Compact product, low energy consumption
- Hot gas pipe assisted evaporating drain water
- Three sides glass. Better display.
- E:220~240V/50or60Hz, U:110~127V/60Hz



Product Model	STP0809FG
Unit dimensions (W/D/H mm/inch)	772*833*930 30 _{25/64} *32 _{51/64} *36 _{39/64}
Package dimensions (W/D/H mm/inch)	860*920*1104 33 _{55/64} *36 _{7/32} *43 _{15/32}
Cooling system	Ventilated
Net capacity(L/ft³)	87/3.07
Display Area(M2/ft2)	1.21/13.02
Kind of coolant	R290
Temperature range(°C/°F)	-18~-15/-0.4~5
Compressor	Embraco
Thermostat	Dixell
40' Container load	56

OPEN DISPLAY MERCHANDISERS



STP-2834LU

Features

- R290
- Embraco Compressor&dixell thermostat, Better product quality
- Ventilated cooling, Better performance
- wheels, Easy to move
- New LED light. Better illumination.
- New outside and clearer price tag
- Embraco Compressor&dixell thermostat, Better product quality
- Italian made heaters(PTC)+SS304 pans, Stronger and more durable
- E:220~240V/50or60Hz, U:110~127V/60Hz

Product Model	STP2834LE/ STP2834LU	STP3934LE/ STP3934LU	STP5034LE/ STP5034LU	STP6334LE/ STP6334LU
Unit dimensions (W/D/H mm/inch)	710*842*1175 27 ^{61/64} *33 ^{53/32} *46 ^{17/64}	990*842*1175 38 ^{31/32} *33 ^{53/32} *46 ^{17/64}	1290*842*1175 50 ^{25/32} *33 ^{53/32} *46 ^{17/64}	1600*842*1175 62 ^{63/64} *33 ^{53/32} *46 ^{17/64}
Package dimensions (W/D/H mm/inch)	760*892*1275 29 ^{59/64} *35 ^{1/8} *50 ^{13/64}	1040*892*1275 40 ^{15/16} *35 ^{1/8} *50 ^{13/64}	1340*892*1275 52 ^{3/4} *35 ^{1/8} *50 ^{13/64}	1650*892*1275 64 ^{61/64} *35 ^{1/8} *50 ^{13/64}
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated
Net capacity(M3/ft³)	0.14/4.94	0.2/6.88	0.25/8.93	0.32/11.08
Display Area (M2/ft²)	0.44/4.73	0.61/6.56	0.8/8.61	0.99/10.56
Kind of coolant	R290	R290	R290	R290
Temperature range(°C/°F)	3M2(-1~7)/ 3M2(30.2~44.6)	3M2(-1~7)/ 3M2(30.2~44.6)	3M2(-1~7)/ 3M2(30.2~44.6)	3M2(-1~7)/ 3M2(30.2~44.6)
Compressor	Embraco	Embraco	Embraco	Embraco
Thermostat	Dixell	Dixell	Dixell	Dixell
40' Container load	78	52	42	28

OPEN DISPLAY MERCHANDISERS



STP-3934HU

Features

- R290
- Embraco Compressor&dixell thermostat, Better product quality
- Ventilated cooling, Better performance
- wheels, Easy to move
- New LED light. Better illumination.
- New outside and clearer price tag
- Embraco Compressor&dixell thermostat, Better product quality
- Italian made heaters(PTC)+SS304 pans, Stronger and more durable
- E:220~240V/50or60Hz, U:110~127V/60Hz

Product Model	STP2834HE/ STP2834HU	STP3934HE/ STP3934HU	STP5034HE/ STP5034HU	STP6334HE/ STP6334HU
Unit dimensions (W/D/H mm/inch)	710*842*1460 27 ^{61/64} *33 ^{53/32} *57 ^{31/64}	990*842*1460 38 ^{31/32} *33 ^{53/32} *57 ^{31/64}	1290*842*1460 50 ^{25/32} *33 ^{53/32} *57 ^{31/64}	1600*842*1460 62 ^{63/64} *33 ^{53/32} *57 ^{31/64}
Package dimensions (W/D/H mm/inch)	760*892*1561 29 ^{59/64} *35 ^{1/8} *61 ^{29/64}	1040*892*1561 40 ^{15/16} *35 ^{1/8} *61 ^{29/64}	1340*892*1561 52 ^{3/4} *35 ^{1/8} *61 ^{29/64}	1650*892*1561 64 ^{61/64} *35 ^{1/8} *61 ^{29/64}
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated
Net capacity(M3/ft³)	0.23/8.05	0.32/11.23	0.41/14.41	0.51/18.15
Display Area(M2/ft²)	0.56/6.02	0.78/8.39	1/10.76	1.26/13.56
Temperature range(°C/°F)	3M2(-1~7)/ 3M2(30.2~44.6)	3M2(-1~7)/ 3M2(30.2~44.6)	3M2(-1~7)/ 3M2(30.2~44.6)	3M2(-1~7)/ 3M2(30.2~44.6)
Compressor	Embraco	Embraco	Embraco	Embraco
Thermostat	Dixell	Dixell	Dixell	Dixell
40' Container load	39	26	21	14

OPEN SHOWCASE



BLF-220

BLF-430

Features

- Inner temperature:M2
- Digital controller
- Automatic defrost
- LED light for every shelf
- With night curtain
- Without door
- Adjustable shelves
- With price label setting
- Automatic drain water
- Side tempered glass

Product Model	BLF-220	BLF-430
Unit dimension (W/D/H mm)	574*667*1920	1094*667*1920
Packing dimension (W/D/H mm)	500*608*1678	1000*608*1678
Display Area(M ²)	1.37	1.8
Net capacity(L)	239	503
Refrigeration type	Ventilated Cooling	Ventilated Cooling
Climate class	3	3
Temperature range(°C)	M2	M2
Compressor brand	Embraco	Secop
Condensation Fan brand	EBM	EBM
Kind of Refrigerant	R290	R290
40 °HC Container loading	60	36



MULTIDECK-PLUG IN 660MM DEPTH WITH NIGHT CURTAIN



BLF-2066



Features

- Inner temperature: M1/M2
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light for every shelf
- With night curtain
- Without door
- Adjustable shelves
- With price label setting
- Automatic drain water
- Side double tempered glass

Options

- Various color for the part
- Thickness and material of the steel
- LED light or ordinary light
- Side wall material

Product Model	BLF-766	BLF-1066	BLF-1366	BLF-1566	BLF-2066
Unit Dimension (W/D/H mm)	685*660*2000	1000*660*2000	1310*660*2000	1500*660*2000	1940*660*2000
Packing Dimension (W/D/H mm)	820*780*2155	1120*780*2155	1430*780*2155	1620*780*2155	2055*780*2155
Effective Volume (M³)	0.26	0.36	0.47	0.54	0.72
Display Area (M²)	0.87	1.24	1.65	1.9	2.48
Cooling System	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling
Light	LED Light	LED Light	LED Light	LED Light	LED Light
Temperature (°C)	3M2	3M2	3M2	3M2	3M2
Compressor	Embraco/Secop	Embraco/Secop	Embraco/Secop	Embraco/Secop	Embraco/Secop
Kind of Coolant	R404a/R290	R404a/R290	R404a/R290	R404a/R290	R404a/R290
40 GP Container Loading (Pcs)	42	30	24	21	16

MULTIDECK-PLUG IN 787MM DEPTH NIGHT CURTAIN



Features

- Inner temperature: M1/M2
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light for every shelf
- With night curtain
- Without door
- Adjustable shelves
- With price label setting
- Automatic drain water
- Side double tempered glass

Options

- Various color for the part
- Thickness and material of the steel
- LED light or ordinary light
- Side wall material



BLF-1280



Product Model	BLF-780	BLF-1080	BLF-1380	BLF-1580	BLF-2080
Unit Dimension (W/D/H mm)	700*780*2000	997*787*2000	1310*787*2000	1500*787*2000	1935*787*2000
Packing Dimension (W/D/H mm)	820*900*2155	1120*900*2150	1450*900*2155	1620*900*2155	2055*900*2155
Effective Volume (M³)	0.29	0.42	0.55	0.63	0.84
Display Area (M²)	0.87	1.24	1.65	1.9	2.48
Cooling System	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling
Light	LED Light	LED Light	LED Light	LED Light	LED Light
Temperature (°C)	3M2	3M2	3M2	3M2	3M2
Compressor	Embraco/Secop	Embraco/Secop	Embraco/Secop	Embraco/Secop	Embraco/Secop
Kind of Coolant	R404a/R290	R404a/R290	R404a/R290	R404a/R290	R404a/R290
40 GP Container Loading (Pcs)	28	26	21	14	13

MULTIDECK-PLUG IN 690MM DEPTH NIGHT CURTAIN



Features

- Inner temperature: M1/M2
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light for every shelf
- With night curtain
- Without door
- Adjustable shelves
- With price label setting
- Automatic drain water

Options

- Various color or the part
- Thickness and material of the steel
- LED light or ordinary light
- Side wall material



BLF-1369

Product Model	BLF-1069	BLF-1369	BLF-1569	BLF-2069
Unit Dimension (W/D/H inch/mm)	39 3/8*27 11/64*78 47/64 997*690*2030	51 37/64*27 11/64*78 47/64 1310*690*2030	61 27/64*27 11/64*78 47/64 1560*690*2030	76 3/16*27 11/64*78 47/64 1935*690*2030
Packing Dimension (W/D/H inch/mm)	44 1/16*31 7/64*87 13/32 1119*790*2220	56 3/8*31 7/64*87 13/32 1432*790*2220	66 7/32*31 7/64*87 13/32 1682*790*2220	80 63/64*31 7/64*87 13/32 2057*790*2220
Display Area	1.2	1.6	1.92	2.38
Effective Volume	0.384	0.512	0.615	0.762
Cooling System	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	3M2	3M2	3M2	3M2
Kind of Refrigerant	R404a/R290	R404a/R290	R404a/R290	R404a/R290
Compressor	Embraco/Secop	Embraco/Secop	Embraco/Secop	Crss(Sanyo)
Evaporator Fan Brand	EBM	EBM	EBM	EBM
Controller Brand	DIXELL	DIXELL	DIXELL	DIXELL
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40 Container Loading (Pcs)	30	23	15	15

MULTIDECK-PLUG IN 865MM DEPTH WITH NIGHT CURTAIN



Features

- Inner temperature: M1/M2
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light for every shelf
- With night curtain
- Without door
- Adjustable shelves
- With price label setting
- Automatic drain water
- R404A
- Side double tempered glass

Options

- Various color for the part
- Thickness and material of the steel
- LED light or ordinary light
- with plexiglass door
- Side wall material



BLF-2087

Product Model	BLF-1087	BLF-1387	BLF-1587	BLF-2087
Unit Dimension (W/D/H mm)	1000*865*1930	1310*865*1930	1500*865*1930	1940*865*1930
Packing Dimension (W/D/H mm)	1150*1050*2130	1450*1050*2130	1650*1050*2130	2070*1050*2130
Display Area	1.25	1.65	2.13	2.78
Effective Volume	0.59	0.83	0.86	1.12
Cooling System	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	3M2	3M2	3M2	3M2
Kind of Refrigerant	R404a	R404a	R404a	R404a
Compressor	Embraco/Secop	Embraco/Criss(Sanyo)	Embraco/Criss(Sanyo)	Criss(SANYO)
Evaporator Fan Brand	EBM	EBM	EBM	EBM
Controller Brand	DIXELL	DIXELL	DIXELL	DIXELL
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40 Container Loading (Pcs)	22	16	14	11

MULTIDECK-PLUG IN 660MM DEPTH WITH SINGLE TEMPERED GLASS DOOR



BLF-1566GA



BLF-1066GA

• Not applicable to Europe

Options

- Various color for the part
- Thickness and material of the steel
- LED light or ordinary light
- Side wall material
- Only available for outside Europe



Product Model	BLF-1066GA	BLF-1366GA	BLF-1566GA	BLF-2066GA
Unit Dimension (W/D/H mm)	1000*660*2000	1310*660*2000	1500*660*2000	1935*660*2000
Packing Dimension (W/D/H mm)	1120*780*2155	1430*780*2155	1620*780*2155	2055*780*2155
Effective Volume (M ³)	0.36	0.47	0.54	0.72
Display Area (M ²)	1.24	1.65	1.9	2.48
Cooling System	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling
Light	LED Light	LED Light	LED Light	LED Light
Temperature (°C)	3M1	3M1	3M1	3M1
Compressor	Embraco/Secop	Embraco/Secop	Embraco/Secop	Embraco/Secop
Kind of Coolant	R404a/R290	R404a/R290	R404a/R290	R404a/R290
40 GP Container Loading (Pcs)	30	24	21	16

MULTIDECK-PLUG IN 787MM DEPTH WITH SINGLE TEMPERED GLASS DOOR



BLF-2080GA



BLF-1080GA

Features

- Inner temperature: M1
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light for every shelf
- With tempered door
- Adjustable shelves
- With price label setting
- Automatic drain water

Options

- Various color for the part
- Thickness and material of the steel
- LED light or ordinary light
- Side wall material



Product Model	BLF-1080GA	BLF-1380GA	BLF-1580GA	BLF-2080GA
Unit Dimension (W/D/H mm)	997*787*2000	1310*787*2000	1500*787*2000	1935*787*2000
Packing Dimension (W/D/H mm)	1120*900*2150	1430*900*2155	1620*900*2155	2055*900*2155
Effective Volume (M ³)	0.42	0.55	0.63	0.84
Display Area (M ²)	1.24	1.65	1.9	2.48
Cooling System	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling
Light	LED Light	LED Light	LED Light	LED Light
Temperature (°C)	3M1	3M1	3M1	3M1
Compressor	Embraco/Secop	Embraco/Secop	Embraco/Secop	Embraco/Secop
Kind of Coolant	R404a/R290	R404a/R290	R404a/R290	R404a/R290
40 GP Container Loading (Pcs)	26	21	14	13

MULTIDECK-PLUG IN 660MM DEPTH WITH DOUBLE GLASS DOOR AND NONE FRAME



BLF-2066GB

Features

- Inner temperature: M1/M2
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light for every shelf
- With door
- Adjustable shelves
- With price label setting
- Automatic drain water
- Side double tempered glass

Options

- Various color for the part
- Thickness and material of the steel
- LED light or ordinary light
- Side wall material



Product Model	BLF-1066GB	BLF-1366GB	BLF-1566GB	BLF-2066GB
Unit Dimension (W/D/H mm)	1000x660x2000	1310*660*2000	1500x660x2000	1935*660*2000
Packing Dimension (W/D/H mm)	1140*780*2155	1430*780*2155	1640*780*2155	2055*780*2155
Effective Volume (M ³)	0.35	0.53	0.53	0.82
Display Area (M ²)	1.7	1.66	3	2.48
Cooling System	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling
Light	LED Light	LED Light	LED Light	LED Light
Glass Door No.	2	2	3	3
Temperature (°C)	3M1	3M1	3M1	3M1
Compressor	Embraco/Secop	Embraco/Secop	Embraco/Secop	Embraco/Secop
Kind of Coolant	R404a/R290	R404a/R290	R404a/R290	R404a/R290
40 GP Container Loading (Pcs)	30	24	21	16

MULTIDECK-PLUG IN 787MM DEPTH WITH DOUBLE GLASS DOOR AND NONE FRAME



BLF-1080GB

Features

- Inner temperature: M1/M2
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light for every shelf
- With door
- Adjustable shelves
- With price label setting
- Automatic drain water
- R404A

Options

- Various color for the part
- Thickness and material of the steel
- LED light or ordinary light
- Side wall material



Product Model	BLF-1080GB	BLF-1380GB	BLF-1580GB	BLF-2080GB
Unit Dimension (W/D/H mm)	1000x787x2000	1310*787*2000	1500x787x2000	1935*787*2000
Packing Dimension (W/D/H mm)	1140*920*2155	1430*900*2155	1640*920*2155	2055*900*2155
Effective Volume (M ³)	0.48	0.62	0.78	0.95
Display Area (M ²)	2.1	1.66	2.82	2.48
Cooling System	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling
Light	LED Light	LED Light	LED Light	LED Light
Glass Door No.	2	2	3	3
Temperature (°C)	3M1	3M1	3M1	3M1
Compressor	Embraco/Secop	Embraco/Secop	Embraco/Secop	Embraco/Secop
Kind of Coolant	R404a/R290	R404a/R290	R404a/R290	R404a/R290
40 GP Container Loading (Pcs)	26	16	14	13

MULTIDECK-PLUG IN 660MM DEPTH WITH DOUBLE VACUUM GLASS DOOR AND ALLOY FRAME



BLF-2566GC

Features

- Inner temperature: M1/M2
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light
- Adjustable shelves
- With price label setting
- Automatic drain water

Options

- Various color for the part
- Thickness and material of the steel
- LED light or ordinary light
- Side wall material

Product Model	BLF-1366GC	BLF-1566GC	BLF-2066GC
Unit Dimension (W/D/H mm)	1310*660*2000	1500x660x2000	1935*660*2000
Packing Dimension (W/D/H mm)	1430*780*2155	1640*780*2155	2055*780*2155
Effective Volume (M ³)	0.53	0.53	0.82
Display Area (M ²)	1.66	3	2.48
Cooling System	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling
Light	LED Light	LED Light	LED Light
Glass Door No.	2	3	3
Temperature (°C)	3M1	3M1	3M1
Compressor	Embraco/Secop	Embraco/Secop	Embraco/Secop
Kind of Coolant	R404a/R290	R404a/R290	R404a/R290
40 GP Container Loading (Pcs)	24	21	16

MULTIDECK-PLUG IN 787MM DEPTH WITH DOUBLE GLASS DOOR AND ALLOY FRAME



BLF-2080GC

Features

- Inner temperature: M1/M2
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light
- With night curtain
- Without plexiglass door
- Adjustable shelves
- With price label setting
- Automatic drain water

Options

- Various color for the part
- Thickness and material of the steel
- LED light or ordinary light
- Side wall material

Product Model	BLF-1380GC	BLF-1580GC	BLF-2080GC
Unit Dimension (W/D/H mm)	1310*787*2000	1500x787x2000	1935*787*2000
Packing Dimension (W/D/H mm)	1430*920*2155	1640*920*2155	2055*920*2155
Effective Volume (M ³)	0.62	0.78	0.95
Display Area (M ²)	1.66	2.82	2.48
Cooling System	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling
Light	LED Light	LED Light	LED Light
Glass Door No.	2	3	3
Temperature (°C)	3M1	3M1	3M1
Compressor	Embraco/Secop	Embraco/Secop	Embraco/Secop
Kind of Coolant	R404a/R290	R404a/R290	R404a/R290
40 GP Container Loading (Pcs)	16	14	13

MULTIDECK-PLUG IN 660MM DEPTH WITH DOUBLE GLASS SILDING GDOOR



BLF-1566GD

Features

- R290
- Dual cooling system for better performance
- With a curtain of night, more energy saving at night
- Optional glass door styles
- Italian made heaters(PTC)+SS304 pans, Stronger and more durable
- Automatic hot gas defrost
- Adjustable shelving for better display
- New LED light. Better illumination.

Product Model	BLF-1366GD	BLF-1566GD
Unit Dimension (W/D/H mm)	1310*660*2000	1500x660x2000
Packing Dimension (W/D/H mm)	1430*780*2155	1620*780*2150
Effective Volume (M³)	0.53	0.62
Display Area (M2)	1.66	2.15
Cooling System	Ventilated Cooling	Ventilated Cooling
Light	LED Light	LED Light
Glass Door No.	2	2
Temperature (°C)	3M1	3M1
Compressor	Embraco /SECOP*2	Embraco /SECOP*2
Kind of Coolant	R404a /R290	R404a /R290
40 GP Container Loading (Pcs)	24	16

MULTIDECK-PLUG IN 787MM DEPTH WITH DOUBLE GLASS SILDING GDOOR



BLF-1380GD

Features

- Dual cooling system for better performance
- With a curtain of night, more energy saving at night
- Optional glass door styles
- Italian made heaters(PTC)+SS304 pans, Stronger and more durable
- Automatic hot gas defrost
- Adjustable shelving for better display
- New LED light. Better illumination.


Product Model	BLF-1380GD	BLF-1580GD
Unit Dimension (W/D/H mm)	1310x787x2000	1500x787x2000
Packing Dimension (W/D/H mm)	1430*907*2150	1620*907*2150
Effective Volume (M³)	0.62	0.78
Display Area (M2)	1.66	2.15
Cooling System	Ventilated Cooling	Ventilated Cooling
Light	LED Light	LED Light
Glass Door No.	2	2
Temperature (°C)	3M1	3M1
Compressor	Embraco /SECOP*2	Embraco /SECOP*2
Kind of Coolant	R404a /R290	R404a /R290
40 GP Container Loading (Pcs)	16	13

MULTIDECK-REMOTE COOLER WITH DOUBLE GLASS DOOR



Features

- Inner temperature: M1/M2
- Digital controller
- Finned evaporator
- Thermostatic expansion valve
- Automatic defrost
- LED light
- Adjustable shelves
- With price label setting
- Automatic drain water
- R404A



Product Model	CLG-1265C	CLG-1265F	CLG-1865C	CLG-1865F
Unit Dimension (W/D/H mm)	1220*650*1930	1220*650*1930	1830*650*1930	1830*650*1930
Packing Dimension (W/D/H mm)	1400*780*2100	1400*780*2100	1980*790*2100	1980*790*2100
Effective Volume(M³)	0.83	0.83	1.28	1.28
Display Area (M²)	1.92	1.92	2.88	2.88
Cooling System	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling
Light	LED	LED	LED	LED
Glass Door No.	2	2	3	3
Temperature (°C)	M1	M1	M1	M1
Kind of Coolant	R404A	R404A	R404A	R404A
40 GP Container Loading (Pcs)	24	24	18	18

MULTIDECK-REMOTE 675&735MM DEPTH WITH NIGHT CURTAIN



Features

- R404a refrigerant.
- Low energy consumption and high cooling capacity.They are achieved by increasing evaporation temperature and heat exchange amount of efficient evaporator.
- Designedly a solenoid valve in each cabinet,in front of which a filter is installed with the purpose of guarding against blockage, reducing difficulty and time of installation.
- Huge open space,low front edge,all maximize display effect.
- More volume is achieved by maximizing shelf depth in a certain freezer width.
- To make the most of the depth of display rack,this gives a larger effective volume.
- LED top lamp,with shelves LED light and non-lamp for optional.
- Super wide night curtain minimizes the gaps between curtains to save more energy.
- Top tubing design makes construction easier.
- Off-cycle defrost reduces energy consumption.
- Glass gable and solid gable for optional.


Product Model	CLF-1368	CLF-1374	CLF-2068	CLF-2074	CLF-2568	CLF-2574
Unit Dimension (W/D/H mm)	1310*675*2030	1310*735*2030	1935*675*2030	1935*735*2030	2560*675*2030	2560*735*2030
Packing dimensions (W / D / H mm)	1484*775*2090	1484*845*2090	2109*775*2090	2109*845*2090	2734*775*2090	2734*845*2090
Display Area(M2)	1.97	1.97	2.96	2.96	3.94	3.94
Effective Volume	0.69	0.71	1.03	1.06	1.46	1.5
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	3M2	3M2	3M2	3M2	3M2	3M2
Kind of Refrigerant	R404A	R404A	R404A	R404A	R404A	R404A
Cooling Capacity	1550	1755	2325	2600	3100	3470
Evaporator Fans brand	EBM	EBM	EBM	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40 ' Container load	24	22	16	14	8	8

MULTIDECK-REMOTE 675&785MM DEPTH WITH DOUBLE GLASS DOOR



Features

- R404a refrigerant.
- Low energy consumption and high cooling capacity. They are achieved by increasing evaporation temperature and heat exchange amount of efficient evaporator.
- Designedly a solenoid valve in each cabinet, in front of which a filter is installed with the purpose of guarding against blockage, reducing difficulty and time of installation.
- Huge open space, low front edge, all maximize display effect.
- More volume is achieved by maximizing shelf depth in a certain freezer width.
- To make the most of the depth of display rack, this gives a larger effective volume.
- LED top lamp, with shelves LED light and non-lamp for optional.
- Super wide night curtain minimizes the gaps between curtains to save more energy.
- Top tubing design makes construction easier.
- Off-cycle defrost reduces energy consumption.
- Glass gable and solid gable for optional.



Product Model	CLF-1368G	CLF-1374G	CLF-2068G	CLF-2074G	CLF-2568G	CLF-2574G
Unit Dimension (W/D/H mm)	1310*675*1930	1310*735*1930	1935*675*1930	1935*735*1930	2560*675*1930	2560*735*1930
Packing dimensions (W / D / H mm)	1484*775*2190	1484*845*2190	2109*775*2190	2109*845*2190	2734*775*2190	2734*845*2190
Display Area(M2)	1.35	1.35	2.03	2.03	2.71	2.71
Effective Volume (L)	0.69	0.71	1.03	1.06	1.46	1.5
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	3M1	3M1	3M1	3M1	3M1	3M1
Kind of Refrigerant	R404A	R404A	R404A	R404A	R404A	R404A
Cooling Capacity	775	867	1165	1303	1550	1734
Evaporator Fans Brand	EBM	EBM	EBM	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40 ' Container load	22	22	14	14	8	8

MULTIDECK-REMOTE 918MM DEPTH WITH NIGHT CURTAIN



Features

- R404a/R744 refrigerant
- For the purpose of high efficiency and low energy consumption, increase the heat transfer, we use efficient evaporator to increase the evaporation temperature and exchange amount.
- There is a solenoid valve for each cabinet. We put a filter in front of the solenoid valve to reduce the difficulty and period of installation, limit the risk of dirt blockage.
- Low front edge with huge open space maximizes the food display effect.
- Maximize the shelf depth with in a limited freezer width to provide more effective volume
- Optional high efficiency fan and LED lamps can be selected according to customers' requirement
- Top tubing design makes construction easier
- Ultra wide high quality night curtain minimizes the gaps between curtains to save more energy.
- Off-cycle defrost reduces the energy consumption.

Product Model	CLF-2092	CLF-2092H	CLF-2592	CLF-2592H	CLF-3892	CLF-3892H
Unit Dimension (W/D/H mm)	1935*918*2030	1935*918*2180	2560*918*2030	2560*918*2180	3810*918*2030	3810*918*2180
Packing dimensions (W / D / H mm)	2120*1100*2200	2120*1100*2200	2820*1100*2200	2820*1100*2200	4170*1100*2200	4170*1100*2200
Display Area(M2)	2.94	3.22	3.92	4.29	5.88	6.44
Effective Volume (L)	1.6	1.74	2.14	2.33	3.21	3.49
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	3M1	3M1	3M1	3M1	3M1	3M1
Kind of Refrigerant	R404A	R404A	R404A	R404A	R404A	R404A
Cooling Capacity	3070	3530	3900	4480	5840	6720
Evaporator Fans Brand	EBM	EBM	EBM	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40 ' Container load	11	11	8	8	4	4

MULTIDECK-REMOTE 918MM DEPTH WITH DOUBLE GLASS DOOR



Features

- R404a/R744 refrigerant
- For the purpose of high efficiency and low energy consumption, increase the heat transfer, we use efficient evaporator to increase the evaporation temperature and exchange amount.
- There is a solenoid valve for each cabinet. We put a filter in front of the solenoid valve to reduce the difficulty and period of installation, limit the risk of dirt blockage.
- Low front edge with huge open space maximizes the food display effect.
- Maximize the shelf depth with in a limited freezer width to provide more effective volume
- Optional high efficiency fan and LED lamps can be selected according to customers' requirement
- Top tubing design makes construction easier
- Ultra wide high quality night curtain minimizes the gaps between curtains to save more energy.
- Off-cycle defrost reduces the energy consumption.

Product Model	CLF-2092G	CLF-2092HG	CLF-2592G	CLF-2592HG	CLF-3892G	CLF-3892HG
Unit Dimension (W/D/H mm)	1935*918*2030	1935*918*2180	2560*918*2030	2560*918*2180	3810*918*2030	3810*918*2180
Packing dimensions (W / D / H mm)	2120*1100*2200	2120*1100*2350	2820*1100*2200	2820*1100*2350	4170*1100*2200	4170*1100*2350
Display Area(M2)	2.10	2.38	2.80	3.18	4.20	4.76
Effective Volume (L)	1.6	1.74	2.14	2.33	3.21	3.49
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	3M1	3M1	3M1	3M1	3M1	3M1
Kind of Refrigerant	R404A	R404A	R404A	R404A	R404A	R404A
Cooling Capacity	1500	1765	1950	2240	2920	3360
Evaporator Fans brand	EBM	EBM	EBM	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40' Container load	11	11	8	8	4	4

MULTIDECK-REMOTE 918MM DEPTH FREEZER TRIPLE GLASS DOOR




Features

- R404a/R744 refrigerant.
- To reduce energy consumption, increase cooling capability, we use efficient evaporator, increases the evaporation temperature to -30 degree.
- There is a solenoid valve for each cabinet. We put a filter in front of the solenoid valve to reduce the difficulty and period of installation, limit the risk of dirt blockage.
- Low front edge with huge open space maximizes the food display effect.
- The glass door frame uses integrated structure, easy for assembling. It has high intensity and luxury appearance.
- According to customer's requirement, anti-mist film can be used to provide a better display effect.
- Optional high efficiency fan and LED lamps can be selected according to customers' requirement.
- Top tubing design makes construction easier.
- Plastic divider is a standard configure. It separates the space between each door, effectively prevent cold air leak, making it more energy saving.



Product Model	CLG-2392F	CLG-2392FH	CLG-3092F	CLG-3092FH	CLG-3892F	CLG-3892FH
Unit Dimension (W/D/H mm)	2350*918*2030	2350*918*2180	3100*918*2030	3100*918*2180	3850*918*2030	3850*918*2180
Packing Dimensions (W / D / H mm)	2500*1035*2177	2500*1035*2327	3250*1035*2177	3250*1035*2327	4000*1035*2177	4000*1035*2327
Display Area(M2)	2.57	2.81	3.42	3.74	4.28	4.68
Effective Volume (L)	1.86	2.05	2.54	2.8	3.17	3.5
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	3L1	3L1	3L1	3L1	3L1	3L1
Kind of Refrigerant	R404A	R404A	R404A	R404A	R404A	R404A
Cooling Capacity	1600	1760	2000	2200	2400	2640
Evaporator Fans brand	EBM	EBM	EBM	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40' Container load	8	8	6	6	4	4

MULTIDECK-PLUG IN 735MM DEPTH WITH NIGHT CURTAIN



Features

- R404a refrigerant
- Low energy consumption and high cooling capacity. They are achieved by increasing evaporation temperature and heat exchange amount of efficient evaporator.
- The product is equipped with internationally famed brand compressors with high refrigeration efficiency, plug and play, easy for operation.
- Huge open space, low front edge, all maximize display effect.
- Incline shelves design, easy for display.
- Suitable size baskets, convenient for loading goods.
- LED lamp.
- Super wide night curtain minimizes the gaps between curtains to save more energy.
- Off-cycle defrost reduces energy consumption.



Product Model	BLF-1374V	BLF-2074V	BLF-2674V
UNIT Dimensions (W / D/ H mm)	1310*735*1930	1935*735*1930	2560*735*1930
Packing Dimensions (W / D/ H mm)	1484*845*2090	2109*845*2090	2734*845*2090
Display Area(M2)	1.65	2.47	3.3
Effective Volume (L)	600	900	1200
Cooling System	Ventilated	Ventilated	Ventilated
Temperature range	3H1	3H1	3H1
Kind of Refrigerant	R404A	R404A	R404A
Compressor brand	CRSS	CRSS	CRSS
Evaporator Fans brand	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT
40 ' Container load	22	14	8

MULTIDECK-REMOTE 735MM DEPTH WITH NIGHT CURTAIN



Features

- R404a refrigerant.
- Low energy consumption and high cooling capacity. They are achieved by increasing evaporation temperature and heat exchange amount of efficient evaporator.
- Designedly a solenoid valve in each cabinet, in front of which a filter is installed with the purpose of guarding against blockage, reducing difficulty and time of installation.
- Smaller depth for space saving.
- Huge open space, low front edge, all maximize display effect.
- Incline shelves design, easy for display.
- Suitable size baskets, convenient for loading goods.
- LED lamp
- Super wide night curtain minimizes the gaps between curtains to save more energy.
- Top tubing design makes construction easier.
- Off-cycle defrost reduces energy consumption.
- Glass gable and solid gable for optional.



Product Model	CLF-1374V	CLF-2074V	CLF-2674V
Unit Dimension (W/D/H mm)	1310*735*1930	1935*735*1930	2560*735*1930
Packing Dimensions (W / D/ H mm)	1484*845*2090	2109*845*2090	2734*845*2090
Display Area(M2)	1.97	2.96	3.94
Effective Volume (L)	0.82	1.23	1.64
Cooling system	Ventilated	Ventilated	Ventilated
Temperature range	3H1	3H1	3H1
Kind of Refrigerant	R404A	R404A	R404A
Cooling Capacity	1755	2600	3470
Evaporator Fans brand	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT
40 ' Container load	22	14	8

MULTIDECK-REMOTE 918MM DEPTH WITH NIGHT CURTAIN



Features

- R404a refrigerant.
- Low energy consumption and high cooling capacity. They are achieved by increasing evaporation temperature and heat exchange amount of efficient evaporator.
- The product is equipped with internationally famed brand compressors with high refrigeration efficiency, plug and play, easy for operation.
- Huge open space, low front edge, all maximize display effect.
- Incline shelves design, easy for display.
- Suitable size baskets, convenient for loading goods.
- LED lamp.
- Super wide night curtain minimizes the gaps between curtains to save more energy.
- Off-cycle defrost reduces energy consumption.




Product Model	CLF-1392V	CLF-2092VH	CLF-2592V	CLF-2592VH	CLF-3892V	CLF-3892VH
Unit Dimension (W/D/H mm)	1935*918*2030	1935*918*2180	2560*918*2030	2560*918*2180	3810*918*2030	3810*918*2180
Packing Dimensions (W / D / H mm)	2120*1100*2200	2120*1100*2200	2820*1100*2200	2820*1100*2200	4170*1100*2200	4170*1100*2200
Display Area(M ²)	2.94	3.22	3.92	4.29	5.88	6.44
Effective Volume (L)	1.6	1.74	2.14	2.33	3.21	3.49
Cooling System	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	3HI	3HI	3HI	3HI	3HI	3HI
Kind of Refrigerant	R404A	R404A	R404A	R404A	R404A	R404A
Cooling Capacity	3070	3530	3900	4480	5840	6720
Evaporator Fans brand	EBM	EBM	EBM	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40' Container load	11	11	8	8	4	4

MULTIDECK-REMOTE 918MM DEEP SEMI CABINET



Features

- R404a refrigerant.
- Low energy consumption and high cooling capacity. They are achieved by increasing evaporation temperature and heat exchange amount of efficient evaporator.
- Designedly a solenoid valve in each cabinet, in front of which a filter is installed with the purpose of guarding against blockage, reducing difficulty and time of installation.
- Smaller depth for space saving.
- Huge open space, low front edge, all maximize display effect.
- Incline shelves design, easy for display.
- Suitable size baskets, convenient for loading goods.
- LED lamp
- Super wide night curtain minimizes the gaps between curtains to save more energy.
- Top tubing design makes construction easier.
- Off-cycle defrost reduces energy consumption.
- Glass gable and solid gable for optional.




Product Model	CSF-1892	CSF-1892L	CSF-2592	CSF-2592L	CSF-3792	CSF-3792L
Unit Dimension (W/D/H mm)	1935*918*1600	1935*918*1300	2560*918*1600	2560*918*1300	3810*918*1600	3810*918*1300
Packing Dimensions (W / D / H mm)	2120*1100*2200	2110*995*1480	2820*1100*2200	2735*995*1480	4170*1100*2200	4005*995*1480
Display Area(M ²)	2.47	1.91	3.29	2.54	4.94	3.81
Effective Volume (L)	0.97	0.72	1.3	0.96	1.94	1.44
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	3M1	3M1	3M1	3M1	3M1	3M1
Kind of Refrigerant	R404A	R404A	R404A	R404A	R404A	R404A
Evaporator Fans brand	EBM	EBM	EBM	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40' Container load	10	10	8	8	6	6



COMBINED ISLAND FREEZER





CQV-22L



- New control panel design and easier for cleaning filters.(patent)

Features

- Sliding: down to up.
- New inset LED light to improve products visibility and more safety.
- New big handle design and more easy for door moving.
- New outside price tag and more clear for recognition.
- Temperature range-18~-22°C(3L1).
- New door glass design and more display area.
- The thickness of body is 85mm, 40% energy saving to achieve DOE 2017.



Product Model	CQV-15L	CQV-19L	CQV-15D	CQV-19D	CQV-22L
Unit Dimensions (W / D / H mm)	1515x900x935	1905x900x935	1515x900x855	1915x900x855	2205x900x935
Pack Dimensions (W / D / H mm)	1625x995x965	2025x995x965	1625x995x920	2025x995x920	2325x995x965
Net capacity (L)	610	800	595	685	955
Defrost system	Automatic	Automatic	Automatic	Automatic	Automatic
Temperature (°C)	3L1	3L1	3L1	3L1	3L1
Baskets divider	2+1	2+1	2+1	2+1	3+1
Interior light	LED Light	LED Light	LED Light	LED Light	LED Light
Compressor	Secop	Secop	Secop	Secop	Secop
Digital thermostat	Dixell/Elitech	Dixell/Elitech	Dixell/Elitech	Dixell/Elitech	Dixell/Elitech
Kind of coolant	R290	R290	R290	R290	R290
40' Container loading	28	24	28	24	24



COMBINED ISLAND FREEZER



CQH-22L

Features

- Sliding: left to right
- New inset LED light to improve products visibility and more safety.
- New big handle design and more easy for door moving.
- New outside price tag and more clear for recognition.
- Temperature range-18~-22°C(3L1).
- New door glass design and more display area.
- The thickness of body is 85mm, 40% energy saving to achieve DOE 2017.



Product Model	CQH-15L	CQH-19L	CQH-15D	CQH-19D	CQH-22L
Unit Dimensions (W / D / H mm)	1515x900x935	1905x900x935	1515x900x855	1915x900x855	2205x900x935
Pack Dimensions (W / D / H mm)	1625x995x965	2025x995x965	1625x995x920	2025x995x920	2325x995x965
Net capacity (L)	610	800	595	685	955
Defrost system	Automatic	Automatic	Automatic	Automatic	Automatic
Temperature (°C)	3L1	3L1	3L1	3L1	3L1
Baskets divider	2+1	2+1	2+1	2+1	3+1
Interior light	LED Light	LED Light	LED Light	LED Light	LED Light
Compressor	Secop	Secop	Secop	Secop	Secop
Digital thermostat	Dixell/Elitech	Dixell/Elitech	Dixell/Elitech	Dixell/Elitech	Dixell/Elitech
Kind of coolant	R290	R290	R290	R290	R290
40' Container loading	28	24	28	24	24

COMBINED ISLAND FREEZER WITH SLIDING GLASS TOP (UP-DOWN)



CQZ-18D

CQZ-21L

Features

- Super size straight line Island freezer
- Exterior material: white pre-coated steel, Interior white prepainted aluminium sheet
- Top curved sliding glass lid with low-E film
- Automatic hot gas defrost
- Condensing with fan
- High quality danfoss compressor
- Italian brand Eliwell/Dixell digital thermostat
- Interior LED light
- Full Basket with dividers
- Front side protection pole
- Adjustable feet
- Caster wheels



Product Model	CQZ-18D	CQZ-21L	CQZ-25L
Unit Dimensions (W/D/H mm)	1850*875*785	2105*875*835	2505*875*835
Pack Dimensions (W/D/H mm)	1940*1040*870	2280*1040*870	2680*1040*870
Net capacity (L)	400	460	540
Defrost system	Automatic	Automatic	Automatic
Temperature (°C)	3L1	3L1	3L1
Baskets divider	3+1	4+1	5+1
Interior light	LED Light	LED Light	LED Light
Compressor	Secop/Embraco	Secop/Embraco	Secop/Embraco
Digital thermostat	Dixell/Elitech	Dixell/Elitech	Dixell/Elitech
Kind of coolant	R404A/R290	R404A/R290	R404A/R290
40" Container loading	35	33	24

COMBINED ISLAND FREEZER WITH SLIDING GLASS TOP (LEFT-RIGHT)



CQS-18D

CQS-21L

Features

- Super size straight line Island freezer
- Exterior material: white pre-coated steel, Interior white prepainted aluminium sheet
- Top curved sliding glass lid with low-E film
- Automatic hot gas defrost
- Condensing with fan
- High quality danfoss compressor
- Italian brand Eliwell/Dixell digital thermostat
- Interior LED light
- Full Basket with dividers
- Front side protection pole
- Adjustable feet
- Caster wheels



Product Model	CQS-18D	CQS-21L	CQS-25L
Unit Dimensions (W/D/H mm)	1860*875*835	2105*875*835	2505*875*835
Pack Dimensions (W / D/ H mm)	1940*1040*870	2280*1040*870	2680*1040*870
Net capacity (L)	400	460	540
Defrost system	Automatic	Automatic	Automatic
Temperature (°C)	3L1	3L1	3L1
Baskets divider	3+1	4+1	5+1
Interior light	LED Light	LED Light	LED Light
Compressor	Embraco/Secop	Embraco/Secop	Embraco/Secop
Digital thermostat	Eliwell/Dixell	Eliwell/Dixell	Eliwell/Dixell
Kind of coolant	R404A/R290	R404A/R290	R404A/R290
40" Container loading	35	33	24

ISLAND FREEZER DOUBLE TEMPERATURE & VENTILATED FREEZER




Features

- The operation temperature of 3M1,3L2 two temperature zone, used for display and sales of refrigerated seafood, meat and so on; for display and sale of frozen fish frozen, frozen meat and frozen food.
- the use of international brand-name SECOP compressor, high cooling efficiency, plug and play, easy to use
- low temperature dual temperature dual control, users can adjust according to demand
- polyurethane cavity integral foaming process to reduce cold consumption and reduce energy consumption
- ultra-thin large area high-performance evaporator, cooling fast, effective volume
- installation of self evaporation water receiver, convenient to use, save worry


Options

- with door




Product Model	DII-160	DII-240	DII-320	DII-410
Unit Dimensions (W/D/H mm)	1080*995*950	1613*980*1078	2113*980*1078	2613*980*1078
Packing Dimensions (W/D/H mm)	1265*1140*1160	1720*1140*1160	2220*1140*1160	2720*1140*1160
Display area(m ²)	0.66	1.03	1.4	1.78
Defrost	Automatic	Automatic	Automatic	Automatic
Total net capacity(L)	165	260	350	440
Kind of coolant	R290	R404a	R404a	R404a
Cooling system	VENTILATDE	VENTILATDE	VENTILATDE	VENTILATDE
Temperature Control Range	3M1&3L1	3M1&3L1	3M1&3L1	3M1&3L1
Thermostat	CAREL	CAREL	CAREL	CAREL
Compressor	SECOP	SECOP	SECOP	SECOP
Light	No	no	no	no
40 ' HC Container load	36	26	20	16

ISLAND FREEZER DOUBLE TEMPERATURE & VENTILATED FREEZER



Features

- The operation temperature of 3M1,3L2 two temperature zone, used for display and sales of refrigerated seafood, meat and so on; for display and sale of frozen fish frozen, frozen meat and frozen food.
- the use of international brand-name SECOP compressor, high cooling efficiency, plug and play, easy to use
- low temperature dual temperature dual control, users can adjust according to demand
- polyurethane cavity integral foaming process to reduce cold consumption and reduce energy consumption
- ultra-thin large area high-performance evaporator, cooling fast, effective volume
- installation of self evaporation water receiver, convenient to use, save worry




Product Model	DII-160G	DII-240G	DII-320G	DII-410G
Unit Dimensions (W/D/H mm)	1080*995*950	1613*980*1122	2113*980*1122	2613*980*1122
Packing Dimensions (W/D/H mm)	1265*1140*1160	1720*1140*1200	2220*1140*1200	2720*1140*1200
Display area(m2)	0.66	1.03	1.4	1.78
Defrost	Automatic	Automatic	Automatic	Automatic
Total net capacity(L)	165	260	350	440
Kind of coolant	R290	R404a /R290	R404a /R290	R404a/R290
Cooling system	VENTILATDE	VENTILATDE	VENTILATDE	VENTILATDE
Temperature Control Range	3M1&3L1	3M1&3L1	3M1&3L1	3M1&3L1
Thermostat	CAREL	CAREL	CAREL	CAREL
Compressor	SECOP	SECOP	SECOP	SECOP
Light	No	No	No	No
40 ' HC Container load	36	28	20	16

ISLAND FREEZER DOUBLE CIRCULAR ARC



SDC-780R



Features

- Exterior material: white pre-coated steel, Interior white prepainted aluminium sheet
- Top curved sliding glass lid with low-E film
- Automatic hot gas defrost
- Condensing with fan
- High quality compressor
- Italian brand Eliwell/Dixell digital thermostat
- Interior double LED lights
- Full Basket with dividers
- Front side protection pole
- Adjustable feet



Product Model	SDC-780R
Unit Dimensions(W/D/H mm)	1900*980*835
Packing Dimensions (W/D/H mm)	2000*1080*870
Total net capacity (L)	580
Defrosting	Automatic
Kind of coolant	R404a/R290
Compressor	Embraco/Secop
Temperature (°C)	3L1
Water collector	Hot gas pipe for auto condensate water
Interior light	2 Sides LED light
Digital thermostat	Dixell/Eliwell
40 ' Container load	33

ISLAND FREEZER DOUBLE VENTILATED



Features

- The unique evaporator coil design energy efficiency
- Efficient extrusion air curtain design
- Island cabinet glass door can choose push or pull up and down or so push-pull
- The cold shelve optional
- Different width of 1550 mm and 1800 mm optional



Product Model	DV-1918	BV-2518	DV-3818	DV-1810D	DV-1916	BV-2516	DV-3816	DV-1610D
Unit Dimension (W/D/H mm)	1875*1800*850	2500*1800*850	3750*1800*850	1800*960*850	1875*1550*850	2500*1550*850	3750*1550*850	1550*960*850
Packing Dimensions (W / D/ H mm)	2170*2000*1050	2800*2000*1050	3950*2000*1050	2000*1100*1050	2170*1700*1050	2800*1700*1050	3950*1700*1050	1700*1100*1050
Display Area(M2)	3.81	5.08	7.63	1.96	3.38	4.52	6.78	1.73
Effective Volume (L)	870	1180	1790	340	620	1050	1580	200
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	3L1	3L1	3L1	3L1	3L1	3L1	3L1	3L1
Kind of Refrigerant	R404A	R404A	R404A	R404A	R404A	R404A	R404A	R404A
Cooling Capacity	1200	1600	2400	800	1100	1400	2100	700
Evaporator Fans brand	EBM	EBM	EBM	EBM	EBM	EBM	EBM	EBM
Controller Brand	CAREL	CAREL	CAREL	CAREL	CAREL	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40 ' Container load	12	8	6	24	14	8	6	28

ISLAND FREEZER



LD-236

Features

- Island freezer
- 236L
- Store frozen food and ice cream
- Top double layer sliding temperglass lid
- Ext white prepainted steel,int embossed AL
- Bottom engine room with fan assisted
- Caster wheels

Product Model	LD-236	LD-358	LD-426	LD-528
Unit Dimensions(W/D/H mm)	1340*655*765	1505*715*870	1785*735*825	1895*850*870
Net capacity(L)	236	358	426	528
Cooling system	static	static	static	static
Temperature (°C)	≤-15	≤-15	≤-15	≤-15
Basket No.	2	4	3	6
Defrosting	Manual	Manual	Manual	Manual
Compressor	LG	LG	LG	LG
Kind of coolant	R134a	R134a	R134a	R134a
40'Container loading	75(40HQ)	44	36	24

ISLAND FREEZER



SDG-2.0

Features

- Island freezer
- 588L
- Store frozen food and ice cream
- Top double layer sliding temperglass lid
- Ext white prepainted steel,int embossed AL
- Bottom engine room with fan assisted
- Caster wheels

Product Model	SDG-2.0	SDG-2.2	SDG-2.5	SCD-316	SCD-386
Unit Dimensions (W/D/H mm)	2030*780*910	2000*1000*865	2530*995*865	1850*810*760	1960*960*760
Net capacity(L)	588	718	878	316	386
Cooling system	static	static	static	static	static
Temperature (°C)	≤-15	≤-15	≤-15	-6~12	-6~12
Basket No.	6	6	9	3	3
Defrosting	Manual	Manual	Manual	Manual	Manual
Compressor	LG	LG	LG	LG	LG
Kind of coolant	R134a	R134a	R134a	R134a	R134a
40'Container loading	26	22	18	24	24

ISLAND FREEZER



SDO-558N

Features

- Island freezer
- Store frozen food and ice cream
- Top double layer sliding temperglass lid
- Ext white prepainted steel,int embossed AL
- Bottom engine room with fan assisted
- Caster wheels

Product Model	SDO-558N	SDO-658N	SDO-758N	SDO-858N
Unit Dimensions(W/D/H mm)	1511*824*860	1811*824*860	2011*1010*860	2541*1010*860
Packing Dimensions (W/D/H mm)	1561*874*890	1861*874*890	2061*1060*890	2591*1060*890
Temperature (°C)	-18~-22	-18~-22	-18~-22	-18~-22
Net capacity(L)	329	418	614	727
Display Area (m2)	0.87	1.06	1.54	1.98
Cooling system	static	static	static	static
Basket No.	5	6	6	8
Interior light	NO	NO	NO	NO
Compressor	Donper/GMCC	Donper/GMCC	Donper/GMCC	Donper/GMCC
Thermostat	Mechanical	Mechanical	Mechanical	Mechanical
Kind of coolant	R290	R290	R290	R290
40'Container loading	45	39	33	24

ISLAND FREEZER



SDG-1500N

Features

- Island freezer
- Store frozen food and ice cream
- Top double layer sliding temperglass lid
- Ext white prepainted steel,int embossed AL
- Bottom engine room with fan assisted
- Caster wheels

Product Model	SDG-1500N	SDG-1800N	SDG-2000N	SDG-2500N
Unit Dimensions(W/D/H mm)	1511*824*880	1811*824*880	2011*1010*880	2541*1010*880
Packing Dimensions (W/D/H mm)	1561*874*925	1861*874*925	2061*1060*925	2591*1060*925
Temperature (°C)	-18~-22	-18~-22	-18~-22	-18~-22
Net capacity(L)	232	284	410	529
Display Area (m2)	0.87	1.06	1.54	1.98
Cooling system	static	static	static	static
Basket No.	4	4	6	6
Interior light	NO	NO	NO	NO
Compressor	Donper/GMCC	Donper/GMCC	Donper/GMCC	Donper/GMCC
Thermostat	Mechanical	Mechanical	Mechanical	Mechanical
Kind of coolant	R290	R290	R290	R290
40'Container loading	30	26	22	16

SERVICE OVER COUNTER PLUG-IN




BSS-2090RG

Features

- Exterior material pre-coated plate, interior stainless steel
- Inner box curved edges for easy cleaning
- Magnetic sealing strip keeps the cold air inside.
- Easy to remove without use of tools
- Digital thermostat Italian famous brand
- Dixell, Carel, Eliwell
- High quality famous compressor: Secop
- Internal LED light

Features

- Fans: Germany Well-known brand EBM fans
- Automatic defrost cooling system
- Adjustable stainless steel feet or lockable castors
- Special various front panel design according to customer request



Product Model	BSS-1290RG	BSS-1590RG	BSS-2090RG	BSS-2590RG
Unit Dimensions (W/D/H mm)	1340*902*1230	1590*902*1230	1965*902*1230	2590*902*1230
Packing Dimensions (W/D/H mm)	1440*980*1300	1690*980*1300	2085*980*1300	2710*980*1300
Display Area (m ²)	1.25	1.51	1.89	2.52
Cooling system	Ventilated cooling	Ventilated cooling	Ventilated cooling	Ventilated cooling
Digital thermostat	DIXCELL	DIXCELL	DIXCELL	DIXCELL
Light	LED	LED	LED	LED
Effective Volume (L)	110	130	158	208
Temperature (°C)	3M1	3M1	3M1	3M1
Compressor	Embraco/Secop	Embraco/Secop	Embraco/Secop	Embraco/Secop
Kind of coolant	R404a/R290	R404a/R290	R404a/R290	R404a/R290
40 ° Container loading	32	28	24	16


SERVICE OVER COUNTER PLUG-IN 850DEPTH



BSS-1880SG

Features

- Stylish serve over counters for display of a variety of foodstuffs, dairy products, sausages, packaged meats & poultry and delicatessens
- Ensures maximum visibility to the products presented
- Front glass can be opened



Product Model	BSS-1285SG	BSS-1885SG
Unit Dimensions(W/D/H mm)	1200x850x1230	1800x850x1230
Packing Dimensions (W/D/H mm)	1300*950*1300	1900*950*1300
Total net capacity (L)	0.62	0.94
Defrosting	89	138
Kind of coolant	Vintilated	Vintilated
Compressor	-2~2	-2~2
Temperature (°C)	R290	R290
Water collector	Embraco	Embraco
Interior light	DIXELL	DIXELL
Digital thermostat	LED LIGHT	LED LIGHT
40 ° Container load	42	24

SERVICE OVER COUNTER PLUG-IN




CE



BSS-2090SG

Features

- Stylish serve over counters for display of a variety of foodstuffs, dairy products, sausages, packaged meats & poultry and delicatessens
- Ensures maximum visibility to the products presented
- Front glass can be opened



Product Model	BSS-1290SG	BSS-1590SG	BSS-2090SG	BSS-2590SG
Unit Dimensions (W/D/H mm)	1340*918*1230	1590*918*1230	1965*918*1230	2590*918*1230
Packing Dimensions (W/D/H mm)	1440*980*1300	1690*980*1300	2085*980*1300	2710*980*1300
Display Area (m ²)	1.25	1.51	1.89	2.52
Cooling system	Ventilated cooling	Ventilated cooling	Ventilated cooling	Ventilated cooling
Digital thermostat	DIXCELL	DIXELL	DIXELL	DIXELL
Light	LED	LED	LED	LED
Effective Volume (L)	110	130	158	208
Temperature (°C)	3M1	3M1	3M1	3M1
Compressor	Embraco/Secop	Embraco/Secop	Embraco/Secop	Embraco/Secop
Kind of coolant	R404a/R290	R404a/R290	R404a/R290	R404a/R290
40' Container loading	32	28	24	16

SERVICE OVER COUNTER PLUG-IN&REMOTE




CE



CSS-2511RGC

Features

- Stylish serve over counters for display of a variety of foodstuffs, dairy products, sausages, packaged meats & poultry and delicatessens.
- Ensures maximum visibility to the products presented
- Special air curtain technology, keeping food fresh, not damaged.
- Front glass can be opened.
- BSS type with compressor.
- CSS type without compressor.



Product Model	BSS-1311RGC/ CSS-1311RGC	BSS-2011RGC/ CSS-2011RGC	BSS-2511RGC/ CSS-2511RGC	BSS-3811RGC/ CSS-3811RGC
Unit Dimension (W/D/H mm)	1336*1160*1200	1960*1160*1200	2560*1160*1200	3836*1160*1200
Packing Dimensions (W/D/H mm)	1450*1260*1400	2070*1260*1400	2710*1260*1400	3950*1260*1400
Display Area(M2)	1.1	1.6	2.12	3.08
Effective Volume (L)	320	390	530	750
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	3M1	3M1	3M1	3M1
Kind of Refrigerant	R404A	R404A	R404A	R404A
Compressor brand	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR	BOYANG/WITHOUT COMPRESSOR
Controller Brand	CAREL	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40' Container load	9	9	4	3

SERVICE OVER COUNTER PLUG-IN&REMOTE




CSS-2511SGA

Features

- The appearance looks nice and elegant, the display effect is excellent
- R404a/R744 refrigerant.
- Off-cycle defrost, reduces the energy consumption.
- The product uses high efficient evaporator, it increases the heat exchange rate, the refrigeration power is large.
- There is a solenoid valve for each cabinet. We put a filter in front of the solenoid valve to reduce the difficulty and period of installation, limit the risk of dirt blockage.
- Optional high efficiency fan can be selected according to customers' requirement.
- The glass lifting structure se damping air pump spring, glass can be stopped at any angle. it's a convenient design for retuel and other dally work.
- BSS type with compressor.
- CSS type without compressor.



BSS-2511SGA



Product Model	BSS-2011SGA/ CSS-2011SGA	BSS-2511SGA/ CSS-2511SGA	BSS-3811SGA/ CSS-3811SGA
Unit Dimension (W/D/H mm)	1875*1103*1145	2500*1103*1145	3750*1103*1600
Packing Dimensions (W / D/ H mm)	2075*1250*1280	2700*1250*1280	3950*1250*1280
Display Area(M2)	1.38	1.84	2.76
Effective Volume (L)	330	440	670
Cooling system	Ventilated	Ventilated	Ventilated
Temperature range	3M1	3M1	3M1
Kind of Refrigerant	R404A	R404A	R404A
Compressor brand	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR
Controller Brand	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT
40 " Container load	18	8	6

SELF SERVICE COUNTER PLUG-IN&REMOTE




CSM-2511SA

Features

- The appearance looks nice and elegant, the display effect is excellent.
- R404a/R744 refrigerant.
- Off-cycle defrost, reduces the energy consumption.
- The product uses high efficient evaporator, it increases the heat exchange rate, the refrigeration power is large.
- There is a solenoid valve for each cabinet. We put a filter in front of the solenoid valve to reduce the difficulty and period of installation, limit the risk of dirt blockage.
- Optional high efficiency fan can be selected according to customers' requirement.
- The display effect is good, easy to get or restock products.
- BSM type with compressor.
- CSM type without compressor.



BSM-2511SA



Product Model	BSM-2011SA/ CSM-2011SA	BSM-2511SA/ CSM-2511SA	BSM-3811SA/ CSM-3811SA
Unit Dimension (W/D/H mm)	1935*1103*842	2560*1103*842	3810*1103*842
Packing Dimensions (W / D/ H mm)	2075*1250*980	2700*1250*980	3950*1250*980
Display Area(M2)	1.73	2.30	3.46
Effective Volume (L)	330	440	670
Cooling system	Ventilated	Ventilated	Ventilated
Temperature range	3M1	3M1	3M1
Kind of Refrigerant	R404A	R404A	R404A
Compressor brand	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR	SECOP/WITHOUT COMPRESSOR
Controller Brand	CAREL	CAREL	CAREL
Light	LED LIGHT	LED LIGHT	LED LIGHT
40 ' Container load	18	8	6

COMBINED CABINET

UP-1200F



SD-420Q



Features

- Temperature: -18~-21°C.
- Automatic defrost.
- Automatic evaporation of defrosting water.
- Digital thermostat
- Inside LED lamp.
- Good display effect
- Suspension structure to save space
- Adjustable shelves



Product Model	UP-1200C	UP-1200F	SD-420Q
Unit Dimension (W/D/H mm)	1275*532*1125	1275*532*1125	1270*680*850
Packing Dimension (W/D/H mm)	1380*760*1320	1380*760*1320	1320*780*890
Effective Volume(M ³)	250	250	355
Display Area(M ²)	0.47	0.47	/
Cooling System	Ventilated	Ventilated	STATIC
Light	LED	LED	LED
Glass Door No.	2	2	4
Temperature (°C)	M1	L1	-18~-21°C
Compressor	SECOP/EMBRACO	SECOP/EMBRACO	ZEL
Kind of Coolant	R290/R404A	R290/R404A	R290
40 GP Container Loading (Pcs)	50	50	79

COMBINED CABINET


UP-2100



CQV-15D


Features

- Ark of a dual temperature, the save area
- LED lighting, energy saving province electricity
- Good display effect



Product Model	UP-1500F	CQV-15D	UP-2100F	CQS-21L
Unit Dimensions (W/D/H mm)	1505*560*1460	1515x900x855	2160*560*1460	2105*875*835
Packing Dimensions (W/D/H mm)	1675*700*1630	1625x995x885	2275*700*1630	2280*1040*870
Effective Volume(M ²)	595	610	1200	460
Display Area	1.80	1.35	0.56	1.84
Cooling System	Ventilated	Static	Ventilated	Static
Light	LED	LED	LED	LED
Temperature Range	L1/L2	L1/L2	L1/L2	L1/L2
Glass Door NO.	2	2	3	2
Compressor	SECOP/EMBRACO	SECOP/EMBRACO	SECOP/EMBRACO	SECOP/EMBRACO
Kind of Refrigerant	R290/R404A	R290/R404A	R290/R404A	R290/R404A
Controller	Dixell	Dixell	Dixell	Dixell
40 ' Container load	17	17	17	17

UPRIGHT ICE CREAM SHOWCASES



Features

- Temperature:-18~-15°C.
- Four sides toughened glass of three layers.
- Adjustable shelf.
- 4 universal wheels with adjustable feet.
- The door opens and the fan closes at once, reduce the loss of cold capacity
- Glass defrosting switch .The user can switch off the defrosting switch at night or in a dry environment, and save energy.
- Automatic defrost.
- Automatic evaporation of defrosting water.
- Micro channel condenser.
- Digital thermostat italian famous brand :dixell eliwell.
- Inside four corners with LED vertical lamp.
- Germany well-known brand EBM fans.




FD-430S



FD-430R

Product Model	FD-430S	FD-430R
Unit dimensions (W / D/ H mm)	650*650*1950	650*650*1950
Packing dimensions (W / D/ H mm)	760*780*2212	760*780*2212
Cooling system	Ventilated	Ventilated
Effective Volume(M ³)	0.4	0.4
Display Area(M ²)	2.4	2.4
Kind of coolant	R290	R290
Temperature range	-18~-15°C	-18~-15°C
Light	LED	LED
40 " Container load	45	45

UPRIGHT CAKE SHOWCASES

**Features**

- Temperature: 2~10°C.
- Four sides toughened glass .
- Adjustable shelf.
- 4 universal wheels with adjustable feet.
- The door opens and the fan closes at once, reduce the loss of cold capacity
- Glass defrosting switch .The user can switch off the defrosting switch at night or in a dry environment, and save energy.
- Automatic defrost.
- Automatic evaporation of defrosting water.
- Micro channel condenser.
- Digital thermostat italian famous brand :dixell /eliwell.
- Inside four corners with LED vertical lamp.
- Germany well-known brand EBM fans.



FC-430S



FC-430R

Product Model	FC-430S	FC-430R
Unit dimensions (W / D/ H mm)	650*650*1950	650*650*1950
Packing dimensions (W / D/ H mm)	760*780*2212	760*780*2212
Cooling system	Ventilated	Ventilated
Effective Volume(M ³)	0.4	0.4
Display Area(M ²)	2.4	2.4
Kind of coolant	R290	R290
Temperature range	2~8°C	2~8°C
Light	LED	LED
40 ' Container load	45	45

ECONOMIC CAKE SHOWCASE



Features

- Temperature: 2~8°C
- Double layer tempered glass
- Adjustable shelf.
- Automatic defrost.
- Automatic evaporation of defrosting water.
- Digital thermostat
- Inside LED lamp

Product Model	FC-400RA/SA	FC-500RA/SA	FC-600RA/SA	FC-700RA/SA
Unit dimensions (W / D/ H mm)	900*660*1190/ 900*660*1130	1200*660*1190/ 1200*660*1130	1500*660*1190/ 1500*660*1130	1800*660*1190/ 1800*660*1130
Packing dimensions(W / D/ H mm)	960*730*1310/ 960*730*1240	1260*730*1310/ 1260*730*1240	1560*730*1310/ 1560*730*1240	1860*730*1310/ 1860*730*1240
Display Area(M ²)	0.63/0.66	0.86/0.90	1.09/1.14	1.31/1.38
Effective Volume(M ³)	0.235/0.28	0.315/0.38	0.395/0.48	0.475/0.58
Cooling System	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	2~8°C	2~8°C	2~8°C	2~8°C
Kind Of Refrigerant	R290	R290	R290	R290
Compressor	Donper	Donper	Donper	Donper
Number of Shelves	2	2	2	2
Controller Brand	SHANGFANG	SHANGFANG	SHANGFANG	SHANGFANG
Light	LED	LED	LED	LED
40 ' Container load	72	54	46	36

ECONOMIC CAKE SHOWCASE





Features

- Temperature: 2~8°C
- Double layer tempered glass
- Adjustable shelf.
- Automatic defrost.
- Automatic evaporation of defrosting water.
- Digital thermostat
- Inside LED lamp

Product Model	FC-400RAH/SAH	FC-500RAH/SAH	FC-600RAH/SAH	FC-700RAH/SAH
Unit dimensions (W / D/ H mm)	900*660*1400	1200*660*1400	1500*660*1400	1800*660*1400
Packing dimensions(W / D/ H mm)	960*730*1550	1260*730*1550	1560*730*1550	1860*730*1550
Display Area(M ²)	0.88/0.83	1.20/1.13	1.52/1.43	1.83/1.73
Effective Volume(M ³)	0.301/0.395	0.411/0.54	0.521/0.685	0.632/0.831
Cooling System	Ventilated	Ventilated	Ventilated	Ventilated
Temperature range	2~8°C	2~8°C	2~8°C	2~8°C
Kind Of Refrigerant	R290	R290	R290	R290
Compressor	Donper	Donper	Donper	Donper
Number of Shelves	3	3	3	3
Controller Brand	SHANGFANG	SHANGFANG	SHANGFANG	SHANGFANG
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40 ' Container load	36	27	23	18



CAKE SHOWCASE

**Features**

- Temperature: 2~8°C
- Double layer tempered glass
- Adjustable shelf.
- Automatic defrost.
- Automatic evaporation of defrosting water.
- Digital thermostat
- Inside LED lamp

Product Model	FC-400RC/SC	FC-500RC/SC	FC-600RC/SC	FC-700RC/SC
Unit dimensions (W / D/ H mm)	900*730*1200	1200*730*1200	1500*730*1200	1800*730*1200
Packing dimensions(W / D/ H mm)	960*790*1310	1260*790*1310	1560*790*1310	1860*790*1310
Display Area(M ²)	0.75	1.02	1.29	1.56
Effective Volume(M ³)	0.28/0.358	0.38/0.485	0.48/0.612	0.58/0.739
Cooling System	Vintilated	Vintilated	Vintilated	Vintilated
Temperature range	2~8°C	2~8°C	2~8°C	2~8°C
Kind Of Refrigerant	R290	R290	R290	R290
Compressor	Donper	Donper	Donper	Donper
Number of Shelves	2	2	2	2
Controller Brand	SHANGFANG	SHANGFANG	SHANGFANG	SHANGFANG
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40 ' Container load	72	54	46	36

CAKE SHOWCASE

**Features**

- Temperature: 2~8°C
- Double layer tempered glass
- Adjustable shelf.
- Automatic defrost.
- Automatic evaporation of defrosting water.
- Digital thermostat
- Inside LED lamp

Product Model	FC-400RCH/SCH	FC-500RCH/SCH	FC-600RCH/SCH	FC-700RCH/SCH
Unit dimensions (W / D/ H mm)	900*730*1400	1200*730*1400	1500*730*1400	1800*730*1400
Packing dimensions(W / D/ H mm)	960*790*1550	1260*790*1550	1560*790*1550	1860*790*1550
Display Area(M ²)	0.91	1.24	1.57	1.9
Effective Volume(M ³)	0.36/0.468	0.49/0.635	0.62/0.802	0.75/0.969
Cooling System	Vintilated	Vintilated	Vintilated	Vintilated
Temperature range	2~8°C	2~8°C	2~8°C	2~8°C
Kind Of Refrigerant	R290	R290	R290	R290
Compressor	Donper	Donper	Donper	Donper
Number of Shelves	3	3	3	3
Controller Brand	SHANGFANG	SHANGFANG	SHANGFANG	SHANGFANG
Light	LED LIGHT	LED LIGHT	LED LIGHT	LED LIGHT
40 ' Container load	36	27	23	18



03 Beverage Cooler

BACKBAR FAN COOLING WITH HINGED DOOR



BBS-130H



BBD-230H



BBT-350H

Features

- Automatic self-closing door
- Double layers tempered glass
- Fan assisted cooling
- Removable digital thermostat
- Interior LED light
- 2 adjustable shelves per door
- Exterior material: Black pre-coated steel, Interior material embossed aluminium

Options

- Horizontal or vertical handle
- Inner box white pre-painted steel
- Sliding door, for two door and three door model
- Door frame and body Stainless steel material

Product Model	BBS-130H	BBD-230H	BBT-350H
Unit Dimensions (W/D/H mm)	600*520*900	900*520*900	1350*520*900
Packing Dimensions (W/D/H mm)	680*580*1045	980*580*1045	1430*580*1045
Door Type	Hinged	Hinged	Hinged
Material	Ext. pre-painted steel, Int.embossed AL	Ext. pre-painted steel, Int.embossed AL	Ext. pre-painted steel, Int.embossed AL
Net capacity (L)	138	208	320
Cooling system	Fan cooling	Fan cooling	Fan cooling
Temperature (°C)	0~+8	0~+8	0~+8
Shelves No.	2	4	6
Interior light	LED Light	LED Light	LED Light
Compressor	Zanussi	Zanussi	Zanussi
Digital thermostat	Dixell	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R600a	R134a/R600a
40' Container loading	136	96	64

BACKBAR FAN COOLING WITH SLIDING DOOR



BBD-230S



BBT-350S

Features

- Automatic self-closing door
- Double layers tempered glass
- Fan assisted cooling
- Removable digital thermostat
- Interior LED light
- 2 adjustable shelves per door
- Exterior material: Black pre-coated steel, Interior material embossed aluminium

Options

- Inner box white pre-painted steel



Product Model	BBD-230S	BBT-350S
Unit Dimensions (W/D/H mm)	900*520*900	1350*520*900
Packing Dimensions (W/D/H mm)	980*580*1045	1430*580*1045
Door Type	Sliding	Sliding
Material	Ext. pre-painted steel, Int.embossed AL	Ext. pre-painted steel, Int.embossed AL
Net capacity (L)	208	320
Cooling system	Fan cooling	Fan cooling
Temperature (°C)	0~+8	0~+8
Shelves No.	4	6
Interior light	LED Light	LED Light
Compressor	Zanussi	Zanussi
Digital thermostat	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R600a
40' Container loading	96	64

BACKBAR (SHORT VERSION) FAN COOLING WITH HINGED DOOR



BBS-130H(A)



BBD-230H(A)



BBT-350H(A)

Features

- Automatic self-closing door
- Double layers tempered glass
- Fan assisted cooling
- Removable digital thermostat
- Interior LED light
- 2 adjustable shelves per door
- Exterior material: Black pre-coated steel, Interior material embossed aluminium

Options

- Horizontal or vertical handle
- Inner box white pre-painted steel
- Sliding door, for two door and three door model
- Door frame and body Stainless steel material

Product Model	BBS-130H(A)	BBD-230H(A)	BBT-350H(A)
Unit Dimensions (W/D/H mm)	600*520*845	900*520*845	1350*520*845
Packing Dimensions (W/D/H mm)	680*580*890	980*580*890	1430*580*890
Door Type	Hinged	Hinged	Hinged
Material	Ext. pre-painted steel, Int.embossed AL	Ext. pre-painted steel, Int.embossed AL	Ext. pre-painted steel, Int.embossed AL
Net capacity (L)	138	208	320
Cooling system	Fan cooling	Fan cooling	Fan cooling
Temperature (°C)	0~+8	0~+8	0~+8
Shelves No.	2	4	6
Interior light	LED Light	LED Light	LED Light
Compressor	Zanussi	Zanussi	Zanussi
Digital thermostat	Dixell	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R600a	R134a/R600a
40" Container loading	204	144	96

BACKBAR (SHORT VERSION) FAN COOLING WITH SLIDING DOOR



BBD-230S(A)



BBT-350S(A)

Features

- Automatic self-closing door
- Double layers tempered glass
- Fan assisted cooling
- Removable digital thermostat
- Interior LED light
- 2 adjustable shelves per door
- Exterior material: Black pre-coated steel, Interior material embossed aluminium



Options

- Inner box white pre-painted steel

Product Model	BBD-230S(A)	BBT-350S(A)
Unit Dimensions (W/D/H mm)	900*520*845	1350*520*845
Packing Dimensions (W/D/H mm)	980*580*890	1430*580*890
Door Type	Sliding	Sliding
Material	Ext. pre-painted steel, Int.embossed AL	Ext. pre-painted steel, Int.embossed AL
Net capacity (L)	208	320
Cooling system	Fan cooling	Fan cooling
Temperature (°C)	0~+8	0~+8
Shelves No.	4	6
Interior light	LED Light	LED Light
Compressor	Zanussi	Zanussi
Digital thermostat	Dixell	Dixell
Kind of coolant	R134a/R600a	R134a/R600a
40" Container loading	144	96

BACKBAR

FAN COOLING WITH STAINLESS STEEL BODY



BBS-130HS




BBD-230HS

Features

- Automatic self-closing door
- Double layers tempered glass
- Fan assisted cooling
- Removable digital thermostat
- Interior LED light
- 2 adjustable shelves per door
- Exterior material : Stainless steel, Interior material embossed aluminium


Options

- Horizontal or vertical handle
- Inner box white prepainted steel



BBS-130H&BBS-130HS

BBD-230H&BBD-230S&BBD-230HS



BBT-350H&BBT-350S&BBT-350HS

Product Model	BBS-130HS	BBD-230HS	BBT-350HS
Unit Dimensions (W/D/H mm)	600*520*900	900*520*900	1350*520*900
Packing Dimensions (W/D/H mm)	680*580*1045	980*580*1045	1430*580*1045
Door Type	Hinged	Hinged	Hinged
Material	Ext. SS, Int.embossed AL	Ext. SS, Int.embossed AL	Ext. SS, Int.embossed AL
Net capacity (L)	138	208	320
Cooling system	Fan cooling	Fan cooling	Fan cooling
Temperature (°C)	0~+8	0~+8	0~+8
Shelves No.	2	4	6
Interior light	LED Light	LED Light	LED Light
Compressor	Zanussi	Zanussi	Zanussi
Digital thermostat	Dixell/Elitech	Dixell/Elitech	Dixell/Elitech
Kind of coolant	R134a/R600a	R134a/R600a	R134a/R600a
40' Container loading	136	100	64

BACKBAR (SHORT VERSION)

FAN COOLING WITH STAINLESS STEEL BODY



BBS-130HS/S




BBD-230HS/S

Features


- Automatic self-closing door
- Double layers tempered glass
- Fan assisted cooling
- Removable digital thermostat
- Interior LED light
- 2 adjustable shelves per door
- Exterior material : Stainless steel, Interior material embossed aluminium

Options


- Horizontal or vertical handle
- Inner box white prepainted steel



BBS-130H(A)&BBS-130HS/S



BBD-230H(A)&BBD-230S&BBD-230HS



BBT-350H(A)&BBT-350HS/S

Product Model	BBS-130HS/S	BBD-230HS/S	BBT-350HS/S
Unit Dimensions (W/D/H mm)	600*520*845	900*520*845	1350*520*845
Packing Dimensions (W/D/H mm)	680*580*890	980*580*890	1430*580*890
Door Type	Hinged	Hinged	Hinged
Material	Ext. SS, Int.embossed AL	Ext. SS, Int.embossed AL	Ext. SS, Int.embossed AL
Net capacity (L)	138	208	320
Cooling system	Fan cooling	Fan cooling	Fan cooling
Temperature (°C)	0~+8	0~+8	0~+8
Shelves No.	2	4	6
Interior light	LED Light	LED Light	LED Light
Compressor	Zanussi	Zanussi	Zanussi
Digital thermostat	Dixell/Elitech	Dixell/Elitech	Dixell/Elitech
Kind of coolant	R134a/R600a	R134a/R600a	R134a/R600a
40' Container loading	204	144	96

BACKBAR

FAN COOLING WITH HINGED DOOR

CE



SC-300



SC-500

Features

- Exterior material: black pre-coated steel
- Interior material mirror SS430
- Digital controller
- Automatic defrost
- Vertical LED light
- With double tempered glass door
- With shelves
- Automatic drain water

Product Model	SC-300	SC-500
Unit dimension (W/D/H mm)	600*520*1810	920*520*1810
Packing dimension (W/D/H mm)	640*590*1860	960*590*1860
Refrigeration type	Ventilated	Ventilated
Kind of Refrigerant	R290	R290
Climate class	class 4	class 4
Temperature range(°C)	2-8	2-8
Display Area(M ²)	1.1	1.67
Net capacity(L)	300	500
Voltage / frequency	220~240V50Hz	220~240V50Hz
Operating Current	1.65A	1.58A
40 °HC Container loading	60	40



BEVERAGE COOLER STATIC COOLING



SC-110U




SC-60U

Features

- One glass door upright chiller
- Ext. white prepainted sheet, int.white PS
- Int. roll bond plate for cooling
- Three layers of shelves
- Foaming agent:C-P
- With wheels
- R134a, 230V 50HZ

Options

- R600a, 115V 60HZ
- Inner box black or white



SC-60&SC-60U

Product Model	SC-60U	SC-110U
Unit Dimension (W/D/H mm)	475*517*746	475*517*1017
Packing Dimensions (W/D/H mm)	515*555*790	515*555*1060
Net capacity (L)	60	100
Cooling system	Static	Static
Foaming thickness(mm)	45	45
Climate	N/ST	N/ST
Temperature (°C)	0~10	0~10
Shelves No.	3	3
Kind of coolant	R134a/R600a	R134a/R600a
40 'HC Container loading	272	184

BEVERAGE COOLER STATIC COOLING



SC-110




SC-60

Features

- One glass door upright chiller
- Ext. white prepainted sheet, int.white PS
- Int. roll bond plate for cooling
- Three layers of shelves
- Foaming agent:C-P
- With wheels
- R134a, 230V 50HZ

Options

- R600a, 115V 60HZ



SC-110&SC-110U

Product Model	SC-60	SC-110
Unit Dimension (W/D/H mm)	475*517*746	475*517*1017
Packing Dimensions (W/D/H mm)	515*555*790	515*555*1060
Net capacity (L)	60	100
Cooling system	Static	Static
Foaming thickness(mm)	45	45
Climate	N/ST	N/ST
Temperature (°C)	0~10	0~10
Shelves No.	3	3
Kind of coolant	R134a/R600a	R134a/R600a
40 'HC Container loading	272	184


BEVERAGE COOLER STATIC COOLING



Optional
Standard



SC-278




SC-278

Features

- One glass door upright beverage cooler
- Outside White PCM, inside white prepainted aluminium sheet
- Fan assisted cooling
- Interior light
- Adjustable shelves
- White plastic door frame
- Lock and key
- Front two wheels, Rear two feet
- 230V 50HZ

Options

- Door frame color black or any other color
- Digital thermostat
- Two side painting
- With Canopy



SC-238

SC-350


Product Model	SC-179	SC-188	SC-238	SC-278	SC-350
Unit Dimensions (W/D/H mm)	500*550*1530	550*520*1845	550*600*1765	590*600*1900	590*615*1921
Packing Dimensions (W/D/H mm)	550*600*1580	640*560*1905	640*560*1920	665*630*2040	675*660*2040
Climate Class	N	N	ST	ST	ST
Net capacity (L)	179	203	238	278	320
Cooling system	Static with fan assisted cooling	Static with fan assisted cooling	Static with fan assisted cooling	Static with fan assisted cooling	Static with fan assisted cooling
Interior light	Top*1	Top*1	Top*1	Top*1	Vertical LED *1
Canopy	yes	yes	Yes	Yes	Option
Temperature (°C)	0~10	0~10	0~+10	0~+10	0~+10
Shelves No.	3	3	3	4	4
Compressor	WANBAO	ZEL	LG	LG	LG
Thermostat	Mechanical/ Digital	Mechanical/Digital	Mechanical/Digital	Mechanical/Digital	Mechanical/ Digital
Kind of coolant	R134a/R600a	R134a/R600a	R134a/R600a	R134a/R600a	R134a/R600a
Door Type	Hinged	Hinged	Hinged	Hinged	Hinged
40 ' Container loading	104	72	54/72	54/71	54/71

BEVERAGE COOLER

STATIC COOLING



SC-708




SC-708

Features

- Two glass door no frost upright beverage cooler
- Outside White PCM, inside white prepainted aluminium sheet
- No frost type
- Automatic defrost system
- Air blow up from bottom grill
- Interior Vertical light
- Adjustable shelves
- Black plastic door frame
- Double layer glass, outside tempered
- Bottom wire tube and fan assisted condensing
- Lock and key
- Four caster wheels
- 230V 50HZ

Options

- Any other color door frame
- Digital thermostat
- Two side painting
- With Canopy



SC-508

SC-1008

Product Model	SC-508	SC-708	SC-1008
Unit Dimensions (W/D/H mm)	925*595*1945	1295*595*1945	1600*595*1945
Packing Dimensions (W/D/H mm)	1010*640*2015	1380*640*2015	1685*640*2015
Climate Class	ST	ST	ST
Net capacity (L)	508	708	1008
Cooling system	Static with fan assisted cooling	Static with fan assisted cooling	Static with fan assisted cooling
Interior light	Vertical LED *2	Vertical LED *2	Vertical LED *2
Canopy	Yes	Yes	Yes
Temperature (°C)	0~+10	0~+10	0~+10
Shelves No.	8	8	12
Compressor	LG	LG	LG
Thermostat	Mechanical/Digital	Mechanical/Digital	Mechanical/Digital
Kind of coolant	R134a/R600a	R134a/R600a	R134a/R290
Door Type	Hinged	Hinged	Hinged
40' Container loading	35	26	25

BEVERAGE COOLER

VENTITALED COOLING




SC-278F

Features

- One glass door upright beverage cooler
- Outside White PCM, inside white prepainted aluminium sheet
- Fan assisted cooling
- Interior light
- Adjustable shelves
- White plastic door frame
- With Canopy
- Lock and key
- Front two wheels, Rear two feet
- 230V 50HZ

Options

- Door frame color black or any other color
- Digital thermostat
- Two side painting



SC-238F

SC-278F

Product Model	SC-238F	SC-278F
Unit Dimensions (W/D/H mm)	550*600*1765	590*600*1900
Packing Dimensions (W/D/H mm)	640*560*1920	665*630*2040
Climate Class	ST	ST
Net capacity (L)	238	278
Cooling system	Ventilated	Ventilated
Interior light	Top*1	Top*1
Canopy	Yes	Yes
Temperature (°C)	0~+10	0~+10
Shelves No.	3	4
Compressor	ZEL	ZEL
Thermostat	Mechanical/Digital	Mechanical/Digital
Kind of coolant	R134a	R134a
Door Type	Hinged	Hinged
40 ' Container loading	54/72	54/71

BEVERAGE COOLER


VENTILATED COOLING



SC-350F



SC-350F




SC-350F

Features

- One glass door no frost upright beverage cooler
- Outside White PCM, inside white prepainted aluminium sheet
- No frost type
- Automatic defrost system
- Air blow up from bottom grill
- Interior Vertical light
- Adjustable shelves
- Black plastic door frame
- Double layer glass, outside tempered
- Bottom wire tube and fan assisted condensing
- Lock and key
- Front two wheels, Rear two feet
- 230V 50HZ

Options

- Any other color door frame
- Digital thermostat
- Two side painting
- With Canopy



SC-280F

SC-420F

Product Model	SC-280F	SC-350F	SC-420F
Unit Dimensions (W/D/H mm)	590*615*1640	590*615*1921	660*615*1840
Packing Dimensions (W/D/H mm)	675*660*1760	675*660*2040	720*675*1980
Climate Class	ST	ST	ST
Net capacity (L)	260	330	420
Cooling system	Ventilated	No Frost	No Frost
Interior light	Vertical LED *1	Vertical LED *1	Vertical LED *1
Canopy	Option	Option	Option
Temperature (°C)	0~+10	0~+10	0~+10
Shelves No.	4	4	4
Thermostat	Mechanical/Digital	Mechanical/Digital	Mechanical/Digital
Kind of coolant	R134a	R134a	R134a
Door Type	Hinged	Hinged	Hinged
40" Container loading	54/73	54/72	48

BEVERAGE COOLER VENTILATED COOLING



SC-630FH




SC-908FH

Features

- Two glass door no frost upright beverage cooler
- With Hinged door
- Outside White PCM, inside white prepainted aluminium sheet
- No frost type
- Automatic defrost system
- Interior two side Vertical light
- Adjustable shelves
- Black plastic door frame
- Double layer glass, outside tempered
- Digital thermostat
- Lock and key
- Four caster wheels
- 230V 50HZ

Options

- White color or aluminium door frame
- Two side painting
- Sliding door



SC-630

SC-908

Product Model	SC-630FH	SC-630FS	SC-908FH	SC-908FS
Unit Dimensions (W/D/H mm)	925*715*1995	925*695*1995	1295*715*1995	1295*695*1995
Packing Dimensions (W/D/H mm)	1010*765*2080	1010*765*2080	1380*765*2080	1380*765*2080
Climate Class	ST/N	ST/N	ST/N	ST/N
Net capacity (L)	630	630	880	880
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated
Interior light	Vertical LED *2	Vertical LED *2	Vertical LED *2	Vertical LED *2
Canopy	Yes	Yes	Yes	Yes
Temperature (°C)	0~+10	0~+10	0~+10	0~+10
Shelves No.	4	4	4	4
Thermostat	Mechanical/Digital	Mechanical/Digital	Mechanical/Digital	Mechanical/Digital
Kind of coolant	R134a/R290	R134a/R290	R134a/R290	R134a/R290
Door Type	Hinged	Sliding	Hinged	Sliding
40' Container loading	35	35	25	25

BEVERAGE COOLER

VENTILATED COOLING



SC-1030FA




SC-1030FB

Features

- Double tempered glass door with Low-E film
- With hinged door
- Precoating sheet alumin,white
- Copper-aluminium fin evaporator+Fan
- No frost type
- Automatic defrost system
- Adjustable shelves
- Lock and key
- Interior two side vertical light
- 10 Adjustable shelves

Options

- Carton box
- Two side painting



SC-1030

Product Model	SC-1030FA	SC-1030FB
Unit Dimensions (W/D/H mm)	1185*730*2000	1185*730*2000
Packing Dimensions (W/D/H mm)	1250*780*2100	1250*780*2100
Cooling system	No Frost	No Frost
Type of appliance	Free standing	Free standing
Climate Class	ST	ST
Net capacity (L)	880	880
Kind of coolant	R134a	R134a
Interior light	Vertical LED *2	Vertical LED *2
Temperature (°C)	0~+10	0~+10
Digital thermostat	Dixell	Dixell
Shelves No.	10	10
Compressor	Embraco	Embraco
40' Container loading	27	27

BEVERAGE COOLER

VENTIALED COOLING



SC-580F




SC-1180F

Features

- Outside PCM, inside prepainted aluminium sheet
- No frost type
- Automatic defrost system
- Interior Vertical light
- Adjustable shelves
- Black plastic door frame
- Double tempered glass with heaters
- Finned Aluminum evaporator
- Copper-aluminium fin and fan assisted condensing

Options

- Lock and key
- With wheels



Product Model	SC-580F	SC-690F	SC-1180F	SC-1390F	SC-1780F	SC-2090F
Unit Dimensions (W/D/H mm)	685*740*2107	685*852*2107	1370*740*2107	1370*852*2107	2050*740*2107	2050*852*2107
Packing Dimensions (W/D/H mm)	746*786*2132	746*898*2132	1430*786*2132	1430*898*2132	2110*786*2132	2110*898*2132
Climate Class	ST	ST	ST	ST	ST	ST
Net capacity (L)	448	546	1055	1266	1577	1980
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Interior light	Vertical	Vertical	Two sides	Two sides	Two sides	Two sides
Canopy	YES	YES	YES	YES	YES	YES
Temperature (°C)	0~7	0~7	0~7	0~7	0~7	0~7
Shelves No.	3Painted Wires	3 Painted Wires	6 Painted Wires	6 Painted Wires	9 Painted Wires	9Painted Wires
Compressor	Cubigel	Cubigel	Cubigel	Cubigel	Cubigel*2	Cubigel*2
Thermostat	Digital/CAREL	Digital/CAREL	Digital/CAREL	Digital/CAREL	Digital/CAREL	Digital/CAREL
Kind of coolant	R290	R290	R290	R290	R290	R290
Door Type	Hinge(self-closing)	Hinge(self-closing)	Hinge(self-closing)	Hinge(self-closing)	Hinge(self-closing)	Hinge(self-closing)
40 ' Container loading	45	39	23	21	15	13

BEVERAGE COOLER VENTIALED FREEZING




SD-1780F

Features

- Outside PCM, inside prepainted aluminium sheet
- No frost type
- Automatic defrost system
- Interior Vertical light
- Adjustable shelves
- Black plastic door frame
- Triple tempered glass with heaters
- Copper-aluminium fin evaporator
- Copper-aluminium fin and fan assisted condensing

Options

- Lock and key
- With wheels



Product Model	SD-580F	SD-690F	SD-1180F	SD-1390F	SD-1780F	SD-2090F
Unit Dimensions (W/D/H mm)	685*740*2107	685*852*2107	1370*740*2107	1370*852*2107	2050*740*2107	2050*852*2107
Packing Dimensions (W/D/H mm)	746*786*2132	746*898*2132	1430*786*2132	1430*898*2132	2110*786*2132	2110*898*2132
Climate Class	ST	ST	ST	ST	ST	ST
Net capacity (L)	448	546	1055	1266	1577	1980
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Interior light	Vertical	Vertical	Two sides	Two sides	Two sides	Two sides
Canopy	YES	YES	YES	YES	YES	YES
Temperature (°C)	-15~-20	-15~-20	-15~-20	-15~-20	-15~-20	-15~-20
Shelves No.	3Painted Wires	3 Painted Wires	6 Painted Wires	6 Painted Wires	9 Painted Wires	9Painted Wires
Compressor	Cubigel*2	Cubigel	Cubigel	Cubigel	Cubigel	Cubigel*2
Thermostat	Digital/CAREL	Digital/CAREL	Digital/CAREL	Digital/CAREL	Digital/CAREL	Digital/CAREL
Kind of coolant	R290	R290	R290	R290	R290	R290
Door Type	Hinge(self-closing)	Hinge(self-closing)	Hinge(self-closing)	Hinge(self-closing)	Hinge(self-closing)	Hinge(self-closing)
40' Container loading	45	39	23	21	15	13

BEVERAGE COOLER

VENTIALED COOLING



SC-580FT




SC-1180FT

Features

- Outside PCM, inside prepainted aluminium sheet
- No frost type
- Automatic defrost system
- Interior Vertical light
- Adjustable shelves
- Black plastic door frame
- Double tempered glass with heaters
- Finned Aluminum evaporator
- Copper-aluminium fin and fan assisted condensing

Options

- Lock and key
- With wheels



Product Model	SC-580FT	SC-690FT	SC-1180FT	SC-1390FT	SC-1780FT	SC-2090FT
Unit Dimensions (W/D/H mm)	685*740*2107	685*852*2107	1370*740*2107	1370*852*2107	2050*740*2107	2050*852*2107
Packing Dimensions (W/D/H mm)	746*786*2132	746*898*2132	1430*786*2132	1430*898*2132	2110*786*2132	2110*898*2132
Climate Class	ST	ST	ST	ST	ST	ST
Net capacity (L)	448	546	1055	1266	1577	1980
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Interior light	Vertical	Vertical	Two sides	Two sides	Two sides	Two sides
Temperature (°C)	0~7	0~7	0~7	0~7	0~7	0~7
Shelves No.	3Painted Wires	3 Painted Wires	6 Painted Wires	6 Painted Wires	9 Painted Wires	9Painted Wires
Compressor	Cubigel	Cubigel	Cubigel	Cubigel	Cubigel*2	Cubigel*2
Thermostat	Digital/CAREL	Digital/CAREL	Digital/CAREL	Digital/CAREL	Digital/CAREL	Digital/CAREL
Kind of coolant	R290	R290	R290	R290	R290	R290
Door Type	Hinge(self-closing)	Hinge(self-closing)	Hinge(self-closing)	Hinge(self-closing)	Hinge(self-closing)	Hinge(self-closing)
40 " Container loading	45	39	23	21	15	13

BEVERAGE COOLER VENTIALED FREEZING




SD-1780FT

Features

- Outside PCM, inside prepainted aluminium sheet
- No frost type
- Automatic defrost system
- Interior Vertical light
- Adjustable shelves
- Black plastic door frame
- Triple tempered glass with heaters
- Copper-aluminium fin evaporator
- Copper-aluminium fin and fan assisted condensing

Options

- Lock and key
- With wheels



Product Model	SD-580FT	SD-690FT	SD-1180FT	SD-1390FT	SD-1780FT	SD-2090FT
Unit Dimensions (W/D/H mm)	685*740*2107	685*852*2107	1370*740*2107	1370*852*2107	2050*740*2107	2050*852*2107
Packing Dimensions (W/D/H mm)	746*786*2132	746*898*2132	1430*786*2132	1430*898*2132	2110*786*2132	2110*898*2132
Climate Class	ST	ST	ST	ST	ST	ST
Net capacity (L)	448	546	1055	1266	1577	1980
Cooling system	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated	Ventilated
Interior light	Vertical	Vertical	Two sides	Two sides	Two sides	Two sides
Temperature (°C)	-15~-20	-15~-20	-15~-20	-15~-20	-15~-20	-15~-20
Shelves No.	3Painted Wires	3 Painted Wires	6 Painted Wires	6 Painted Wires	9 Painted Wires	9Painted Wires
Compressor	Cubigel	Cubigel	Cubigel	Cubigel	Cubigel	Cubigel*2
Thermostat	Digital/CAREL	Digital/CAREL	Digital/CAREL	Digital/CAREL	Digital/CAREL	Digital/CAREL
Kind of coolant	R290	R290	R290	R290	R290	R290
Door Type	Hinge(self-closing)	Hinge(self-closing)	Hinge(self-closing)	Hinge(self-closing)	Hinge(self-closing)	Hinge(self-closing)
40' Container loading	45	39	23	21	15	13

BEVERAGE COOLER

REAR MOUNTED MACHINE UNITS


CE



SC-1010F



SC-1810F



Features


- Outside and inside galvanized sheet painting
- Inner temperature: M2
- Digital controller
- Automatic defrost
- Vertical LED light
- With glass door
- Glass door with low-E film
- Adjustable shelves
- Automatic drain water

Options

- PCM or Aluminum sheet



SC-2410F



Product Model	SC-1010F	SC-1810F	SC-2410F
Unit dimension (W/D/H mm)	1253*716*2000	1880*716*2000	2508*716*2000
Packing dimension (W/D/H mm)	1333*761*2100	1960*761*2100	2588*761*2100
Refrigeration type	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling
Climate class	3	3	3
Temperature range	M2	M2	M2
Display Area(M ²)	1.92	2.88	3.84
Effective Volume(M ³)	1.0	1.55	2.1
Net capacity(L)	996	1743	2356
Compressor brand	Cubigel/Donper	Donper /Huayi	Cubigel/Donper
Kind of Refrigerant	R290	R290	R290
40 ' Container load	25	18	12

BEVERAGE COOLER


BOTTOM MOUNTED MACHINE UNITS



SC-1006F



SC-1506F



Features


- Outside and inside galvanized sheet painting
- Inner temperature: M2
- Digital controller
- Automatic defrost
- Vertical LED light
- With glass door
- Glass door with low-E film
- Adjustable shelves
- Automatic drain water

Options

- PCM or Aluminum sheet



SC-2006F



Product Model	SC-1006F	SC-1506F	SC-2006F
Unit dimension (W/D/H mm)	1253*716*2000	1880*716*2000	2508*716*2000
Packing dimension (W/D/H mm)	1333*761*2100	1960*761*2100	2588*761*2100
Refrigeration type	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling
Climate class	3	3	3
Temperature range	M2	M2	M2
Display Area(M ²)	1.92	2.88	3.84
Effective Volume(M ³)	0.9	1.4	1.88
Net capacity(L)	965	1486	2007
Compressor brand	Cubigel/Donper	Donper /Huayi	Cubigel/Donper
Kind of Refrigerant	R290	R290	R290
40" Container load	25	18	12

BEVERAGE COOLER TOP MOUNTED MACHINE UNITS


CE



SC-1002F



SC-1502F



Features


- Outside and inside galvanized sheet painting
- Inner temperature: M2
- Digital controller
- Automatic defrost
- Vertical LED light
- With glass door
- Glass door with low-E film
- Adjustable shelves
- Automatic drain water

Options

- PCM or Aluminum sheet



SC-2102F



Product Model	SC-1002F	SC-1502F	SC-2102F
Unit dimension (W/D/H mm)	1253*716*2000	1880*716*2000	2508*716*2000
Packing dimension (W/D/H mm)	1333*761*2100	1960*761*2100	2588*761*2100
Refrigeration type	Ventilated Cooling	Ventilated Cooling	Ventilated Cooling
Climate class	3	3	3
Temperature range	M2	M2	M2
Display Area(M ²)	1.92	2.88	3.84
Effective Volume(M ³)	0.95	1.46	1.98
Net capacity(L)	983	1514	2046
Compressor brand	Cubigel/Donper	Cubigel/Donper	Cubigel/Donper
Kind of Refrigerant	R290	R290	R290
40' Container load	17	12	8

04 *Chest Freezer*




TOP CURVED SLIDING GLASS LID




SD-320Q



SD-620Q



SD-220Q




SD-320Q

Features


- New style curved sliding glass lid
- Fully Automatic operation
- 70 mm thickness insulation
- Exterior white finish
- Aluminum door frame
- Adjustable thermostat
- Main power indicator
- Defrost water drain hole
- Full basket as standard
- Interior LED light as standard
- Four caster wheels
- Environmentally friendly

Options


- Digital thermometer
- With canopy



SD-420Q



SD-520Q



SD-620Q

Product Model	SD-220Q	SD-320Q	SD-420Q	SD-520Q	SD-620Q	SD-720Q
Unit Dimensions (W/D/H mm)	740*680*850	1030*680*850	1270*680*850	1530*680*850	1810*680*850	2000*675*850
Packing Dimension (W/D/H mm)	790*780*890	1080*780*890	1320*780*890	1580*780*890	1860*780*890	2050*770*890
Net capacity (L)	180	273	355	445	545	615
Cooling system	Static	Static	Static	Static	Static	Static
Climate	N/ST	N/ST	N/ST	N/ST	N/ST	N/ST
Temperature (°C)	≤-18	≤-18	≤-18	≤-18	≤-18	≤-18
Number of basket	2	3	4	5	6	7
Controller	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical	Mechanical
Interior light	LED	LED	LED	LED	LED	LED
Castor	With	With	With	With	With	With
Kind of coolant	R134a/R290	R134a/R290	R134a/R290	R134a/R290	R134a/R290	R134a/R290
40'HC Container loading	134	97	79	65	56	50

TOP FLAT GLASS LID SERIES




SD-320P

Features

- New style flat sliding glass lid
- Fully Automatic operation
- 75 mm thickness insulation
- Exterior white finish
- Aluminum door frame
- Adjustable thermostat
- Main power indicator
- Defrost water drain hole
- Full basket as standard
- Interior LED light as standard
- Four caster wheels
- Environmentally friendly


Options

- Digital thermometer



SD-320P

SD-420P



SD-520P

Product Model	SD-320P	SD-420P	SD-520P	SD-620P
Unit Dimensions (W/D/H mm)	1030*680*850	1270*680*850	1530*680*850	1810*680*850
Packing Dimension (W/D/H mm)	1080*780*890	1320*780*890	1580*780*890	1860*780*890
Net capacity (L)	273	355	445	545
Cooling system	Static	Static	Static	Static
Climate	N/ST	N/ST	N/ST	N/ST
Temperature (°C)	≤-18	≤-18	≤-18	≤-18
Number of basket	3	4	5	6
Controller	Mechanical	Mechanical	Mechanical	Mechanical
Interior light	LED	LED	LED	LED
Castor	With	With	With	With
Kind of coolant	R134a/R290	R134a/R290	R134a/R290	R134a/R290
40'HC Container loading	97	79	65	56

TOP CURVED SLIDING GLASS LID




Features

- New style curved sliding glass lid
- Fully Automatic operation
- 70 mm thickness insulation
- Exterior white finish
- Aluminum door frame
- Adjustable thermostat
- Main power indicator
- Defrost water drain hole
- Full basket as standard
- Interior LED light as standard
- Four caster wheels
- Digital thermometer
- Environmentally friendly



SD-420QIC



SD-420QIC

SD-520QIC

Product Model	SD-420QIC	SD-520QIC
Unit Dimensions (W/D/H mm)	1270*680*850	1530*680*850
Packing Dimension(W/D/H mm)	1320*780*890	1580*780*890
Net capacity (L)	355	445
Cooling system	Static	Static
Climate	N/ST	N/ST
Temperature (°C)	≤-18	≤-18
Number of basket	4	5
Controller Mechanical	Mechanical	Mechanical
Interior light	LED	LED
Castor	With	With
Kind of coolant	R134a/R290	R134a/R290
40'HC Container loading	79	65

TOP FLAT GLASS LID SERIES



SD-100


SD-200

Features

- Easily open from Front or back side
- 70 mm thickness insulation
- Adjustable thermostat
- Main power indicator
- Defrost water drain hole
- Sandblasting oxidation surface treatment PVC frame
- Three-dimensional electronic thermostat, accurate temperature control, highlighting the generosity
- Adjustable feet
- Environmentally friendly

Options

- Wheels/ full baskets/digital thermometer



SD-100

SD-200

Product Model	SD-100	SD-200
Unit Dimensions (W/D/H mm)	585*525*840	960*525*840
Packing Dimension (W/D/H mm)	620*585*880	1000*585*880
Net capacity (L)	97	197
Cooling system	Static	Static
Climate	ST	ST
Temperature (°C)	≤-18	≤-18
Basket No.	1	1
Kind of coolant	R134a	R134a
40' Container loading	223	135

CHEST FREEZER



BD-105


Features

- European super low energy consumption A+
- 70mm thickness insulation
- Suitable for wide climate, SN/T
- Adjustable thermostat
- Main power indicator
- Defrost water drain hole
- Recess handle on front side
- Adjustable feet
- Environmentally friendly
- Available in white or silver body color




Options

- Interior LED light/outside Condensor/wheels/ full baskets/digital thermometer/top SS lid



BD-105

BD-155



BD-205

BD-255

Product Model	BD-105	BD-155	BD-205	BD-255
Unit Dimension (W/D/H mm)	580*560*840	771*560*840	960*560*840	1164*560*840
Packing Dimension (W/D/H mm)	625*585*880	815*585*880	1005*585*880	1210*585*880
Net capacity (L)	97	148	197	247
Cooling system	Static	Static	Static	Static
Foaming thickness (mm)	70	70	70	70
Climate	SN/T	SN/T	SN/T	SN/T
Energy class	A+	A+	A+	A+
Temperature (°C)	≤-18	≤-18	≤-18	≤-18
Basket No.	1	1	1	1
Kind of coolant	R600a	R600a	R600a	R600a
40 'HC Container loading	223	168	138	109

CHEST FREEZER



BD-550A



BD-550SS




Features


- European super low energy consumption A+
- 75mm thickness insulation
- Suitable for wide climate, SN/T
- Adjustable thermostat
- Main power indicator
- Defrost water drain hole
- External handle with lock
- Adjustable feet
- Environmentally friendly
- Available in white or silver body color

Options


- Interior LED light/outside Condensor/ Caster wheels/ full baskets/digital thermometer/top SS lid




BD-350



BD-450



BD-550



BD-650

Product Model	BD-350	BD-450	BD-550	BD-650
Unit Dimension (W/D/H mm)	1030*755*840	1270*755*840	1530*755*840	1810*755*840
Packing Dimension (W/D/H mm)	1080*780*890	1320*780*890	1580*780*890	1860*780*890
Net capacity (L)	272	358	450	550
Cooling system	Static	Static	Static	Static
Foaming thickness (mm)	75	75	75	75
Climate	SN/T	SN/T	SN/T	SN/T
Energy class	A+	A+	A+	A+
Temperature (°C)	≤-18	≤-18	≤-18	≤-18
Basket No.	1	1	2	2
Kind of coolant	R600a	R600a	R600a	R600a
40 'HC Container loading	96	79	65	56

SUPERSIZE SERIES




BD-900D

Features

- Supersize Chest freezer
- 80 mm thickness insulation
- Two lids as standard
- Adjustable thermostat
- Main power indicator
- Defrost water drain hole
- External handle with lock
- Two baskets inside
- Adjustable feet
- Environmentally friendly


Options

- Interior LED light/outside Condensor/ Caster wheels/full baskets/digital thermometer/top SS lid



BD-700D

BD-900D



BD-1000D

Product Model	BD-700D	BD-900D	BD-1000D
Unit dimension (W/D/H mm)	2000*740*850	1930*895*910	2280*895*910
Packing dimension (W/D/H mm)	2040*770*885	1985*960*1020	2320*960*1020
Net capacity (L)	670	850	945
Cooling system	Static	Static	Static
Foaming thickness(mm)	65	80	80
Climate	ST	ST	ST
Temperature (°C)	-18	≤-18	≤-18
Basket No.	2	2	2
Kind of coolant	R134a/R290	R134a/R600a	R134a/R600a
40 'HC Container loading	51	24	24

05 *Neutral Equipment*



GASTRONORM PAN



DOUBLE (2/1) SIZE GN PAN
650*530mm
DEEP:20mm 40mm 65mm 100mm 150mm



FULL (1/1) SIZE GN PAN
530*325mm
DEEP:20mm 40mm 65mm 100mm 150mm 200mm



TWO THIRD (2/3) SIZE GN PAN
354*325mm
DEEP:20mm 40mm 65mm 100mm 150mm 200mm



ONE HALF (1/2) SIZE GN PAN
325*265mm
DEEP:20mm 40mm 55mm 65mm 90mm 100mm
140mm 150mm 190mm 200mm

GASTRONORM PAN



ONE HALF LONG (2/4) SIZE GN PAN
530*162mm
DEEP:20mm 65mm 100mm 150mm



COVER



FULL (1/1) SIZE PERFORATED GN PAN
530*325mm
DEEP:20mm 40mm 55mm 65mm 90mm 100mm
140mm 150mm 190mm 200mm



ONE HALF (1/2) SIZE PERFORATED GN PAN
325*265mm
DEEP:20mm 40mm 55mm 65mm 90mm 90mm
100mm 140mm 150mm 190mm 200mm



ONE THIRD (1/3) SIZE GN PAN
325*176mm
DEEP:20mm 40mm 65mm 100mm 150mm 200mm



ONE QUARTER (1/4) SIZE GN PAN
265*162mm
DEEP:20mm 65mm 100mm 150mm 200mm



ONE SIXTH (1/6) SIZE GN PAN
176*162mm
DEEP:35mm 65mm 100mm 150mm 200mm



ONE NINTH (1/9) SIZE GN PAN
176*108mm
DEEP:65mm 100mm 150mm

REGULAR PANS

SMOOTH CORNER DESIGN



CLEANING SURFACE WITH A LITTLE
BIT INCLINED, EASY TO STACK UP
AND SAVING THE SPACE



DOUBLE REINFORCED &
EMBOSSED CORNERS



FULL (1/1) SIZE PAN
20-3/4" x 12-3/4" (530*325mm)
DEEP: 32mm 65mm 100mm 150mm 200mm



TWO THIRD (2/3) SIZE PAN
13-7/8" x 12-3/4" (354*325mm)
DEEP: 65mm 100mm 150mm 200mm



ONE HALF (1/2) SIZE PAN
12-3/4" x 10-3/8" (325*265mm)
DEEP: 32mm 65mm 100mm 150mm 200mm



ONE THIRD (1/3) SIZE PAN
12-3/4" x 6-7/8" (325*176mm)
DEEP: 65mm 100mm 150mm

REGULAR PANS



ONE QUARTER (1/4) SIZE PAN
10-3/8" x 6-3/8" (265*162mm)
DEEP: 65mm 100mm 150mm



ONE SIXTH (1/6) SIZE PAN
6-7/8" x 6-1/4" (176*162mm)
DEEP: 65mm 100mm



ONE NINTH (1/9) SIZE PAN
6-7/8" x 4-1/4" (176*108mm)
DEEP: 65mm 100mm



SOLID & SLOTTED COVER



1/1 SIZE PERFORATED PAN
20-3/4" x 12-3/4" (530*325mm)
DEEP: 32mm 65mm 100mm 150mm 200mm



1/2 SIZE PERFORATED PAN
12-3/4" x 10-3/8" (325*265mm)
DEEP: 32mm 65mm 100mm 150mm 200mm

WORK TABLE

MODEL NO.	DIMENSION(W*D*H)MM
WT86	800*600*850
WT106	1000*600*850
WT126	1200*600*850
WT146	1400*600*850
WT166	1600*600*850
WT186	1800*600*850
WT206	2000*600*850



WT-126

MODEL NO.	DIMENSION(W*D*H)MM
WT87	800*700*850
WT107	1000*700*850
WT127	1200*700*850
WT147	1400*700*850
WT167	1600*700*850
WT187	1800*700*850
WT207	2000*700*850



WT-107S

CUPBOARD



CR-106

MODEL NO.	DIMENSION(W*D*H)MM
CR66	600X600X850
CR86	800X600X850
CR106	1000X600X850
CR126	1200X600X850
CR146	1400X600X850
CR156	1500X600X850
CR166	1600X600X850
CR186	1800X600X850
CR206	2000X600X850

MODEL NO.	DIMENSION(W*D*H)MM
CR67	600X700X850
CR87	800X700X850
CR107	1000X700X850
CR127	1200X700X850
CR147	1400X700X850
CR157	1500X700X850
CR167	1600X700X850
CR187	1800X700X850
CR207	2000X700X850



CR-107

SERVING TROLLEY



SERVING TROLLEY WITH 1 SHELF

MODEL NO.	DIMENSION(W*D*H)MM
ST106	1000*600*850

SERVING TROLLEY WITH 2 SHELVES

MODEL NO.	DIMENSION(W*D*H)MM
ST85-2	800*500*940
ST105-2	1000*500*940
ST106-2	1000*600*940
ST126-2	1200*600*940



SERVING TROLLEY WITH 3 SHELVES

MODEL NO.	DIMENSION(W*D*H)MM
ST85-3	800*500*940
ST105-3	1000*500*940
ST106-3	1000*600*940
ST126-3	1200*600*940



SHELVES




MODEL NO.	DIMENSION(W*D*H)MM
STS640	600*400*1800
STS650	600*500*1800
STS660	600*600*1800
STS740	700*400*1800
STS750	700*500*1800
STS760	700*600*1800
STS840	800*400*1800
STS850	800*500*1800
STS860	800*600*1800
STS940	900*400*1800
STS950	900*500*1800
STS960	900*600*1800
STS1040	1000*400*1800
STS1050	1000*500*1800
STS1060	1000*600*1800
STS1140	1100*400*1800
STS1150	1100*500*1800
STS1160	1100*600*1800
STS1240	1200*400*1800
STS1250	1200*500*1800
STS1260	1200*600*1800


MODEL NO.	DIMENSION(W*D*H)MM
STS1340	1300*400*1800
STS1350	1300*500*1800
STS1360	1300*600*1800
STS1440	1400*400*1800
STS1450	1400*500*1800
STS1460	1400*600*1800
STS1540	1500*400*1800
STS1550	1500*500*1800
STS1560	1500*600*1800
STS1640	1600*400*1800
STS1650	1600*500*1800
STS1660	1600*600*1800
STS1740	1700*400*1800
STS1750	1700*500*1800
STS1760	1700*600*1800
STS1840	1800*400*1800
STS1850	1800*500*1800
STS1860	1800*600*1800
STS1940	1900*400*1800
STS1950	1900*500*1800
STS1960	1900*600*1800
STS2040	2000*400*1800
STS2050	2000*500*1800
STS2060	2000*600*1800




SINK




MODES	DIM.MM	DIM OF SINK
STR 66 BM1	600*600*950h	400*400*250h/300h
STR 76 BM1	700*600*950h	500*400*250h/300h
STR 86 BM1	800*600*950h	500*400*250h/300h




MODES	DIM.MM	DIM OF SINK
STR 106 BR1	1000*600*950h	400*400*250h/300h
STR 126 BR1	1200*600*950h	500*400*250h/300h




MODES	DIM.MM	DIM OF SINK
STR 106 BL1	1000*600*950h	400*400*250h/300h
STR 126 BL1	1200*600*950h	500*400*250h/300h




MODES	DIM.MM	DIM OF SINK
STR 146 BR2	1400*600*950h	400*400*250h/300h
STR 166 BR2	1600*600*950h	500*400*250h/300h
STR 186 BR2	1800*600*950h	500*400*250h/300h



MODES	DIM.MM	DIM OF SINK
STR 146 BL2	1400*600*950h	400*400*250h/300h
STR 166 BL2	1600*600*950h	500*400*250h/300h
STR 186 BL2	1800*600*950h	500*400*250h/300h



MODES	DIM.MM	DIM OF SINK
STR 206 BM2	2000*600*950h	500*400*250h/300h




MODES	DIM.MM	DIM OF SINK
STR 106 BM2	1000*600*950h	400*400*250h/300h
STR 126 BM2	1200*600*950h	500*400*250h/300h
STR 146 BM2	1400*600*950h	500*400*250h/300h


MODES	DIM.MM	DIM OF SINK
STR 67 BM1	600*700*950h	500*400*250h/300h
STR 77 BM1	700*700*950h	600*500*250h/300h
STR 87 BM1	800*700*950h	600*500*250h/300h




MODES	DIM.MM	DIM OF SINK
STR 107 BR1	1000*700*950h	500*400*250h/300h
STR 127 BR1	1200*700*950h	500*500*250h/300h
STR 147 BR1	1400*700*950h	600*500*250h/300h




MODES	DIM.MM	DIM OF SINK
STR 107 BL1	1000*700*950h	500*400*250h/300h
STR 127 BL1	1200*700*950h	500*500*250h/300h
STR 147 BL1	1400*700*950h	600*500*250h/300h




MODES	DIM.MM	DIM OF SINK
STR 167 BR2	1600*700*950h	500*400*250h/300h
STR 187 BR2	1800*700*950h	500*500*250h/300h




MODES	DIM.MM	DIM OF SINK
STR 167 BL2	1600*700*950h	500*400*250h/300h
STR 187 BL2	1800*700*950h	500*500*250h/300h




MODES	DIM.MM	DIM OF SINK
STR 207 BM2	2000*700*950h	500*400*250h/300h




MODES	DIM.MM	DIM OF SINK
STR 107 BM2	1000*700*950h	500*400*250h/300h
STR 127 BM2	1200*700*950h	500*500*250h/300h
STR 147 BM2	1400*700*950h	600*500*250h/300h



MODES	DIM.MM	DIM OF SINK
STR 127 BM1	1200*700*950h	1060*500*250h/300h
STR 167 BM1	1600*700*950h	1360*500*250h/300h
STR 187 BM1	1800*700*950h	1660*500*250h/300h



MODES	DIM.MM	DIM OF SINK
STR 207 BMB1	2000*700*950h	860*500*250h/300h



[illegible]This image shows a single sheet of white paper with horizontal blue ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



QINGDAO SANTA INTERNATIONAL CO.,LTD

Add1:No.25 Haihe Road,Jimo county,Qingdao City,
Shandong Province,P.R.China

Add2:No. 1, Xiangling Road, Laoshan District, Qingdao City
Room 406, Building 3, Ziyuan Boya Plaza China

Tel:0086-532-89067737

Email:info@santagroup.com.cn

Website:www.santagroup.com.cn

